



भारत का राजपत्र The Gazette of India

असाधारण
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (i)
PART II—Section 3—Sub-section (i)

प्रतिभार से प्रकाशित
PUBLISHED BY AUTHORITY

सं० 87]

नई दिल्ली, शुक्रवार, फरवरी 20, 1987/फाल्गुन 1, 1908

No. 87]

NEW DELHI, FRIDAY, FEBRUARY 20, 1987/PHALGUNA 1, 1908

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह जरूर संकलन के रूप में
रखा जा सके

Separate Paging is given to this Part in order that it may be filed as a
separate compilation

उद्योग मंत्रालय

(औद्योगिक विकास विभाग)

नई दिल्ली, 18 फरवरी, 1987

अधिसूचना

सा. का. नि. 105(अ) : कैलियम कार्बाइड नियम, 1985 का
प्राकृत्य, पैट्रोलियम अधिनियम, 1934 (1934 का 30) की धारा 29
की उपधारा (2) की अपेक्षानुसार, भारत सरकार के उद्योग और कंपनी
कार्य मंत्रालय (औद्योगिक विकास विभाग) की अधिसूचना सं. सा. का.
नि. 404(अ) तारीख 4 अप्रैल, 1985 के अधीन, भारत के राजपत्र,
असाधारण, भाग 2, खंड 3, उपखंड (ii) तारीख 7 मई, 1985 में
प्रकाशित किया गया था जिसमें उन सभी व्यक्तियों से जिनके उत्तरे
प्रभावित होने की संभावना थी, उक्त अधिसूचना के राजपत्र में प्रकाशन की
तारीख से 45 दिन की अवधि को समाप्ति के पक्षे आशेष और सुझाव
मांगे गए थे ;

और उक्त राजपत्र की प्रतियां 17 जुलाई, 1985 को जनता को
उपलब्ध करा दी गई थीं ;

और केन्द्रीय सरकार के उक्त प्रस्तावनाओं के संबंध में प्राप्त आशेषों और
सुझावों पर विचार कर लिया है।

धन: केन्द्रीय सरकार, पैट्रोलियम अधिनियम, 1934 का धारा 4
द्वारा प्रवृत्त शक्तियों का प्रयोग करते हुए, निम्नलिखित नियम बनाती है,
अर्थात् :-

कैलियम कार्बाइड नियम, 1987

अध्याय 1

प्रारंभिक

- 1 (1) संक्षिप्त नाम और प्रारम्भ—इन नियमों का संक्षिप्त नाम
कैलियम कार्बाइड नियम, 1987 है।
- (2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. परिभाषाएँ—इन नियमों में, जब तक कि संदर्भ से अन्यथा
अपेक्षित न हो,—

- (क) "अधिनियम" से पैट्रोलियम अधिनियम, 1934 (1934 का
30) अभिप्रेत है;
- (ख) "कार्बाइड" से कैलियम कार्बाइड अभिप्रेत है;
- (ग) "मुख्य निरीक्षक" से मुख्य बिस्कोटक निरीक्षक अभिप्रेत है;
- (घ) "पल्लव संरक्षक" से अंतर्गत भारतीय पल्लव अधिनियम, 1908
(1908 का 15) की धारा 7 के अधीन पल्लव संरक्षक के रूप

में नियुक्त अधिकारी या व्यक्तियों के विकाय के प्राधिकार के अधीन कार्य करने वाला कोई व्यक्ति है;

- (ब) "विस्फोटक नियंत्रक" के अंतर्गत संयुक्त मुख्य विस्फोटक नियंत्रक, उप मुख्य विस्फोटक नियंत्रक और उप विस्फोटक नियंत्रक है;
- (च) "जिला प्राधिकारी" से अभिप्रेत है:—

(क) किसी ऐसे नगर में जहाँ पुलिस प्रायुक्त है, पुलिस प्रायुक्त या पुलिस उप प्रायुक्त; और

(ख) किसी अन्य स्थान में, जिला मजिस्ट्रेट;

- (छ) "जिला मजिस्ट्रेट" के अन्तर्गत अपर जिला मजिस्ट्रेट है और इसके अन्तर्गत पंजाब और हरियाणा राज्यों में और पांडिचेरी संघ राज्यक्षेत्र के कारीकल, माहे और यनम क्षेत्रों में उपखण्ड मजिस्ट्रेट भी है;

- (ज) "प्ररूप" से ऐसा प्ररूप अभिप्रेत है जो दूसरी अनुसूची में दिया गया है;

- (झ) "निरीक्षक" से अधिनियम की धारा 13 की उपधारा (1) के अधीन केन्द्रीय सरकार द्वारा प्राधिकृत अधिकारी अभिप्रेत है।

- (ञ) "विहित पात्र" से ऐसा पात्र अभिप्रेत है:—

- (1) जो इस्पात या मुख्य नियंत्रक द्वारा अनुमोदित किसी अन्य पदार्थ से बना है, किन्तु उसके सम्मिश्रण में कोई तांबा नहीं है;

- (2) जो सभी समयों पर इस प्रकार बंद रखा जाता है कि उसमें वायु प्रवेश न कर सके, सिवाय तब जब उसकी अंतर्वस्तुएं उसके भीतर रखी जाती है या उसमें से निकाली जाती है; और

- (3) उस पर एक स्टाम्पित, समुद्रभूत, पेन्ट की हुई या मुद्रित चेतावनी हो—जिसमें "कैल्शियम कार्बाइड—खतरनाक, यदि शुष्क रूप में न रखा जाये" शब्द और निम्नलिखित चेतावनी सहजदृश्य लिपि में प्रदर्शित की जायेगी—

"इस पैकेज की अंतर्वस्तु, यदि नमी के संपर्क में लाई जाये तो, अति ज्वलनशील गैस निकल सकती है :

परन्तु आयातित कार्बाइड के आधानों के लिये चेतावनी सुसंगत अन्तर्राष्ट्रीय संहिता के अनुसार होगी।

- (ट) "नमूना अधिकारी" से अधिनियम की धारा 14 की उपधारा (1) के अधीन केन्द्रीय सरकार द्वारा प्राधिकृत अधिकारी अभिप्रेत है।

अध्याय 2

साधारण उपबन्ध

3. कार्बाइड का विहित पात्रों में पैक किया जाना—कार्बाइड का आयात, परिवहन या भंडारकरण तभी किया जायेगा जब वह विहित पात्रों में पैक किया गया है:

परन्तु मुख्य नियंत्रक, विहित पात्रों से भिन्न किसी पात्र के लिये अनुज्ञा तभी दे सकेगा जब उसका यह समाधान हो जाता है कि ऐसे पात्र का प्रयोग किसी असम्यक परिसंकट में डाले बिना किया जा सकता है।

4. कार्बाइड के परिदान और प्रेषण के संबंध में निर्वन्धन—कोई भी व्यक्ति, भंडारकरण अनुज्ञप्ति के धारक या उसके प्राधिकृत अधिकारी या पत्तन प्राधिकारी या रेल प्रशासन से भिन्न किसी व्यक्ति को, कार्बाइड का परिदान या प्रेषण नहीं करेगा:

परन्तु इस नियम की कोई भी बात किसी व्यक्ति को कार्बाइड की ऐसी मात्राओं में परिदान या प्रेषण को लागू नहीं होगी जो नियम 26 द्वारा, बिना किसी अनुज्ञप्ति के, भंडारकरण के लिये अनुज्ञात है।

5. जल से संपर्क के विरुद्ध पूर्वावधानियां—कार्बाइड के जल से संपर्क में आने को रोकने के लिये और जहाँ ऐसा संपर्क हो जाता है वहाँ गैस के ज्वलन को रोकने के लिये प्रत्येक युक्तियुक्त पूर्वावधानी बरती जायेगी।

6. यदि कार्बाइड आग्न हो जाता है तो उसका व्यवहन—यदि कोई कार्बाइड आग्न हो जाता है और पात्र गर्म हो जाता है तो उसे गहरे जल में डुबो कर नष्ट कर दिया जायेगा। यदि गहरा जल उपलब्ध नहीं है तो आग्न कार्बाइड किसी सुन्सान स्थान में बिखेर दिया जायेगा और जब तक ऐसी सामग्री में से सभी गैस नहीं निकल जाती है तब तक किसी अग्नि या कृत्रिम प्रकाश या ऐसी वस्तु को जो एसीटीलीन को ज्वलित कर सकती है, उसके समीप आने से रोकने के लिये सभी पूर्वावधानियां बरती जायेंगी।

टिप्पण—यह तथ्य कि कार्बाइड आग्न हो गया है, इस के बाहरी रूप और संभवतया एक अवचिकर गंध द्वारा जिसमें से गैस निकलती हुई दृशित हो, उपदर्शित किया जायेगा।

7. बालक और मर्त व्यक्ति—कोई भी व्यक्ति—

- (1) 18 वर्ष से कम आयु के किसी बालक को; या

- (2) किसी ऐसे व्यक्ति को जो मर्तता की हालत में है,—

- (क) कार्बाइड के लादने-उतारने या परिवहन के प्रयोजन के लिये, या

- (ख) इन नियमों के अधीन अनुज्ञप्त किसी परिसर में प्रवेश करने के लिये,

नियोजित नहीं करेगा या अनुज्ञात नहीं करेगा।

8. धूम्रपान, अग्नि और प्रकाश का प्रतिषेध—कोई भी व्यक्ति धूम्रपान नहीं करेगा और कोई अग्नि, कृत्रिम प्रकाश या वस्तु जो एसीटीलीन को ज्वलित कर सकती है,—

- (क) किसी भी समय ऐसे स्थान के भीतर या उसके समीप, जहाँ कार्बाइड का भंडारकरण किया है ;

(ख) कार्बाइड का परिवहन करने वाले या जलयान के समीप, अनुज्ञात नहीं की जायेगी।

अध्याय 3

कार्बाइड का आयात

भाग—1—साधारण

9. कार्बाइड के आयात के लिये अनुज्ञप्ति—ऐसा कार्बाइड जो ऐसे कार्बाइड से भिन्न है, जो नियम 26 के अधीन किसी अनुज्ञप्ति के बिना कब्जे में रखा जा सकता है, इन नियमों के अधीन दी गई अनुज्ञप्ति के अधीन ही आयात किया जायेगा, अन्यथा नहीं।

भाग—2

समुद्र मार्ग द्वारा आयात

10. आयात का पत्तन :—कार्बाइड का निम्नलिखित पत्तनों पर ही आयात किया जायेगा अन्यथा नहीं, अर्थात् :—

मुम्बई	कांडला
कलकत्ता	मद्रास
कोचीन	मंगलौर
तूतीकोरिन	पोर्ट ब्लेयर
	विशाखापत्तनम्।

11. पत्तन में मास्टर या अभिकर्ता का कर्तव्य:—(1) ऐसे प्रत्येक जलयान का, जो किसी पत्तन में आता है और कार्बाइड का वहन करता है, मास्टर या उसके स्वामी का अभिकर्ता, पत्तन में प्रवेश करने पर और किसी स्थोरा के उतारने से पहले, सीमाशुल्क कलक्टर को और साथ ही पत्तन संरक्षक को, उसके द्वारा वहन किये जाने वाले कार्बाइड की मात्रा और उसके वर्णन की घोषणा लिखित रूप में करेगा।

(2) मास्टर, जलयान में ऐसे स्थान पर लंगर डालेगा जो पत्तन संरक्षक निश्चित करे और जब कोई कार्बाइड उसके फलक पर रहता है तब मास्टर, समुद्र की ओर अग्रसर होने के प्रयोजन के सिवाय, पत्तन संरक्षक की लिखित अनुज्ञा के बिना जलयान को नहीं हटायेगा।

(3) मास्टर यह सुनिश्चित करेगा कि पत्तन में कार्बाइड लाने वाले प्रत्येक जलयान का पैटा, पत्तन में जलयान के प्रवेश के समय से फलक पर से सभी कार्बाइड के उतारे जाने तक या पत्तन से जलयान के जाने तक, दसतापूर्वक संचालित किया जाये।

12. दृष्टियुक्त पात्र—सीमाशुल्क कलक्टर यह अपेक्षा कर सकेगा कि कोई ऐसा पात्र जिसमें कार्बाइड है जो नियम 3 की अपेक्षाओं को पूरा नहीं करता है या जो दृष्टियुक्त है, परेपिती को कोई प्रतिकर दिये बिना, पत्तन संरक्षक के निदेश के अधीन गहरे जल में डुबो दिया जाये।

13. निरीक्षण अधिकारी को दी जाने वाली प्रसुविधाएं—पत्तन में किसी ऐसे जलयान का, जिसके फलक पर कार्बाइड है, मास्टर या उसके स्वामी का अभिकर्ता, जब सीमाशुल्क

कलक्टर द्वारा या पत्तन संरक्षक द्वारा या निरीक्षण या नमूना अधिकारी द्वारा ऐसी अपेक्षा की जाये तब, अपने नियंत्रण के और उसके फलक के सभी कार्बाइड को ऐसे अधिकारी को दिखाएगा और ऐसे कार्बाइड का निरीक्षण करने के लिये ऐसे अधिकारी को समर्थ बनाने के लिये प्रत्येक युक्तियुक्त प्रसुविधा देगा जिससे कि यह अभिनिश्चित किया जा सके कि क्या इन नियमों के उपबन्धों का सम्यक् रूप से अनुपालन किया गया है या नहीं और यदि ऐसा अधिकारी ऐसी वांछा करे तो उसे निःशुल्क नमने लेने के लिये प्रत्येक युक्तियुक्त प्रसुविधा देगा।

14. कार्बाइड का उतारा जाना—(1) कार्बाइड केवल सीमाशुल्क कलक्टर की अनुज्ञा से और ऐसे स्थान या स्थानों पर उतारा जाएगा जो पत्तन संरक्षक निश्चित करे।

(2) कार्बाइड सूर्योदय और सूर्यास्त के बीच ही उतारा जाएगा।

15. उतारे जाने के पश्चात् हटाया जाना—किसी जलयान से उतारे गए सभी कार्बाइड को अनावश्यक विसर्ज के बिना, किसी अनुज्ञप्त परिसर में भेजा जाएगा और यदि उसका जलमार्ग द्वारा प्रवहण किया जाता है तो उसका किसी ऐसे खुले बाज में से प्रवहण किया जाएगा जिसके बारे में पत्तन संरक्षक द्वारा यह प्रमाणित किया जाता है कि वह कार्बाइड के प्रवहण के लिए उपयुक्त है।

16. पत्तन पर भंडारकरण—(1) नियम 15 में किसी बात के होते हुए भी, कार्बाइड का, यदि उसे पत्तन से तुरन्त हटाया नहीं जा सकता है तो, ऐसे पृथक् गोदाम में जो आय भवनों से दूर हो, भंडार किया जा सकेगा।

भाग 3

भूमि मार्ग द्वारा आयात

17. भूमि मार्ग द्वारा आयात—कोई भी व्यक्ति प्रत्येक मामले में केन्द्रीय सरकार की पूर्व मंजूरी से और ऐसी शर्तों और निर्बंधनों के अधीन रहते हुए जो वह मुख्य नियंत्रक से परामर्श करके अधिरोपित करे, भूमि मार्ग द्वारा कार्बाइड का आयात, अन्यथा नहीं।

भाग 4

वायु मार्ग द्वारा आयात

18. वायुमार्ग द्वारा आयात—कोई भी व्यक्ति प्रत्येक मामले में केन्द्रीय सरकार की पूर्व मंजूरी से और ऐसी शर्तों और निर्बंधनों के अधीन रहते हुए और ऐसी फीस का संदाय किए जाने पर जो वह अधिरोपित करे, और ऐसी मात्रा में और रीति से जो सिविल विमानन के महानिदेशक द्वारा अनुज्ञा की जाए, वायुमार्ग द्वारा कार्बाइड का आयात करेगा, अन्यथा नहीं।

अध्याय 4

कार्बाइड का परिवहन

19. पांच किलोग्राम से अनधिक मात्रा में परिवहन—
पांच किलोग्राम से अनधिक किसी भी मात्रा में परिवहन किया जाने वाला कार्बाइड विहित पात्रों में पैक किया जाएगा और प्रत्येक पात्र में एक किलोग्राम से अधिक कार्बाइड नहीं होगा।

20. पांच किलोग्राम से अधिक मात्रा में परिवहन—
पांच किलोग्राम से अधिक मात्रा में कार्बाइड का निम्नलिखित शर्तों के अधीन ही परिवहन किया जाएगा, अन्यथा नहीं, अर्थात्:—

- (क) कार्बाइड का विहित पात्रों में वहन किया जाएगा किसी भी पात्र में 100 किलोग्राम कार्बाइड से अधिक अंतर्विष्ट करने की क्षमता नहीं होगी; और
- (ख) कार्बाइड को अभिवहन के दौरान किसी भी समय ऐसे भवन से भिन्न किसी भवन में भंडार नहीं किया जाएगा जो इस नियमों के अधीन कार्बाइड के भंडारकरण के लिए अनुज्ञात है:

परन्तु मुख्य नियंत्रक, 100 किलोग्राम से अधिक कार्बाइड को अंतर्विष्ट करने की क्षमता वाले ऐसे पात्रों में कार्बाइड का परिवहन अनुज्ञात कर सकेगा जो उसके द्वारा इस प्रयोजन के लिए विनिर्दिष्टतया अनुमोदित किए जाएं और वह ऐसी शर्तों के अधीन होगा जो वह इसे निमित्त विहित करे:

परन्तु यह और कि इस प्रकार परिवहन किया गया कार्बाइड किसी एसीटिमीन जनरेटर में सीधे चार्ज किए जाने के लिए प्राणयित है न कि किसी अन्य पात्र में पुनः पैकिंग के लिए।

21. रेल या सड़क मार्ग द्वारा परिवहन —(1) कार्बाइड का जब वह परिवहन के लिए रेल प्रशासन या किसी सड़क परिवहन अभिकरण की अभिरक्षा में है तब, किसी आय सामग्री के साथ किसी माल-शेड में भंडारकरण नहीं किया जाएगा किन्तु वह जलसह शीटों के नीचे खुले में रखा जाएगा और उसे इस प्रकार रखा जाएगा कि किसी ऐसे पात्र को जिसमें वह अंतर्विष्ट है, भार होने से रोका जा सके।

(2) जहां कार्बाइड का रेल द्वारा प्रवहन किया जाता है, वहां वह ऐसे सभी विनियमों के अधीन होगा जो रेल प्रशासन द्वारा साधारणतया या विनिर्दिष्टतया इस निमित्त समय समय पर विहित किए जाएं।

22. सवारी गाड़ी द्वारा परिवहन— जहां कार्बाइड का सवारी गाड़ी द्वारा परिवहन किया जाता है वहां—

(1) किसी एक गाड़ी द्वारा वहन की जाने वाली मात्रा 250 किलोग्राम से अधिक नहीं होगी;

(2) कार्बाइड का गाड़ी के ब्रेक वान में वहन किया जाएगा;

(3) कोई भी खुली लैम्प या आय कृत्रिम प्रकाश जो ज्वलनशील गैस को ज्वलित कर सकता है कार्बाइड अंतर्विष्ट करने वाले वान में नहीं ले जाया जाएगा; और

(4) वान अच्छी तरह से संभावित किया जाएगा और जहां तक संभव हो सके जलरोधी होगा।

23. जल मार्ग द्वारा परिवहन:— जहां कार्बाइड का जल मार्ग द्वारा प्रवहन किया जाता है वहां वह, वाणिज्य पोत खतरनाक माल वह नियम, 1978 में अंतर्विष्ट विनियमों के अनुसार पैक किया जाएगा और उसका भंडार किया जाएगा।

24. वायु मार्ग द्वारा परिवहन— कार्बाइड का ऐसी मात्रा में और ऐसी रीति से वायु मार्ग द्वारा परिवहन किया जा सकेगा जो सिविल विमानन के महानिदेशक द्वारा अनुज्ञात की जाए।

अध्याय 5

कार्बाइड का भंडारकरण

25. कार्बाइड का वाणिज्यिक रूप से शुद्ध होना— कोई भी कार्बाइड किसी अनुज्ञप्ति सहित या उसके बिना किसी स्थान पर नहीं रखा जाएगा जब तक कि वह "वाणिज्यिक रूप से शुद्ध" नहीं है अर्थात् जब तक कि उसमें ऐसे अपद्रव्य नहीं हैं जिसके कारण गैस अकेले ही या वायु के अधिमिश्रण से स्वतः ज्वलित हो सकती है और इस प्रकार तैयार गैस कैल्सियम कार्बाइड, तकनीकी भा. मा. : 1040 के लिए विनिर्देश में दी गई अपेक्षाओं के अनुरूप होगी।

26. भंडारकरण के लिए अनुज्ञप्ति— कोई भी व्यक्ति किसी कार्बाइड का इन नियमों के अधीन दी गई अनुज्ञप्ति के अधीन ही भंडारकरण करेगा अन्यथा नहीं:

परन्तु कार्बाइड के भंडारकरण के लिए अनुज्ञप्ति की निम्नलिखित दशाओं में अपेक्षा नहीं की जाएगी:—

(क) जब वह पांच किलोग्राम से अनधिक मात्रा में है यदि वह विहित पात्रों में रखा जाता है जिनमें से प्रत्येक में एक किलोग्राम से अधिक कार्बाइड नहीं है,

(ख) जब वह पांच किलोग्राम से अधिक मात्रा में है किन्तु दो सौ किलोग्राम से अधिक नहीं है जो निम्नलिखित शर्तों के अधीन होगा; अर्थात्:—

(1) ऐसे पात्रों का किसी शुष्क और अच्छी तरह संवातित शेड में भंडारकरण किया जायेगा जो भवन का भाग हो सकेगा या उससे संलग्न हो सकेगा: परन्तु यह तब जब कि वह किसी पर्याप्त दीवार द्वारा उससे अलग किया गया है और उस तक पहुंचने के साधन केवल बाह्य वायु से है;

(2) अप्राधिकृत व्यक्तियों को पात्रों तक पहुंचने से रोकने के लिए सम्यक पूर्वावधानियां बरती जाएंगी;

(3) पाल अच्छी तरह से बंद रखे जाएंगे सिवाय तब जब उनमें से कार्बाइड निकाला जाए;

(ग) जब वह अस्थायी रूप से ऐसी शर्तों के अधीन परतन सीमाओं के भीतर है जो परतन संरक्षक विनिर्दिष्ट करें;

(घ) जब वह रेल प्रशासन या सड़क परिवहन अभिकरण की अभिरक्षा के अधीन अभिवहन में हो।

(ङ) जब वह संघ के रक्षा बलों के नियंत्रण में है।

27. अनुशुप्त भंडारकरण शैड से सुरक्षा दूरी का अनुपालन करना आवश्यक—(1) कार्बाइड का—

(क) यदि वह कुल मिलाकर 200 किलोग्राम से अधिक किन्तु 500 किलोग्राम से अनधिक मात्रा में है तो किसी अन्य परिसर से कम से कम 3 मीटर दूर किसी ऐसे उपयुक्त भवन में भंडार किया जाएगा जिसमें कोई मानव निवास नहीं करता है;

(ख) यदि वह कुल मिलाकर 500 किलोग्राम से अधिक किन्तु 5000 किलोग्राम से अनधिक मात्रा में है तो किसी अन्य परिसर से कम से कम 6 मीटर दूर किसी ऐसे उपयुक्त भवन में भंडार किया जाएगा जिसमें कोई मानव निवास नहीं करता है;

(ग) यदि वह कुल मिलाकर 5000 किलोग्राम से अधिक मात्रा में है तो किसी अन्य परिसर से कम से कम 9 मीटर दूर किसी ऐसे उपयुक्त भवन में भंडार किया जाएगा जिसमें कोई मानव निवास नहीं करता है।

(2) किसी एक भवन में 1000 मीटरी टन से अधिक कार्बाइड का भण्डार नहीं किया जाएगा : परन्तु यह तब जब कि उस भवन के किसी एक कमरे या अन्य भाग में 250 टन से अधिक कैल्सियम कार्बाइड का भंडार नहीं किया जाता है।

(3) कोई कार्बाइड भंडारकरण-शैड भी ऐसीटिलीन संयंत्र का भाग हो सकेगा या उससे संलग्न हो सकेगा : परन्तु यह तब जब कि वह संयंत्र के अन्य भागों से पर्याप्त दीवार द्वारा अलग किया गया है और संपूर्ण भवन के संबंध में, जिसके अंतर्गत कार्बाइड भंडारकरण शैड भी है, किसी अन्य परिसर से 15 मीटर की सुरक्षा दूरी का अनुपालन किया जाता है : परन्तु यह कि मुख्य नियंत्रक, ऐसे ऐसीटी-लिन संयंत्रों की दशा में जो इन नियमों के प्रवृत्त होने से पूर्व प्रवर्तन में थे और उनके द्वारा विनिर्दिष्ट की जाने वाली शर्तों के अधीन रहते हुए 15 मीटर से कम दूरी पर भंडारकरण शैड अनुज्ञात कर सकेगा।

(4) प्रत्येक उस भवन में, जिसमें कार्बाइड का भण्डार किया गया है, शैड वाले अप्रार्थित व्यक्तियों की पहुंच से बचाने के लिए कम से कम 18 मीटर

ऊंची दीवार या बाड़ से अट्ठाता बनाया जाएगा और ऐसी दीवार या बाड़ से घिरा हुआ भवन सुरक्षा जौन के लिए खाली रखी जाने के लिए अपेक्षित स्थान को खुला रखेगा।

28. भंडारकरण परिसरों का सन्निर्माण—(1) कार्बाइड के भंडारकरण के लिए प्रत्येक परिसर :—

(क) या अज्वलन शील सामग्री से सन्निर्माण किया जाएगा जिसमें सीमेन्ट का फ़र्श आसपास की भूमि की सतह से कम से कम 30 सें. मी. ऊंचा होगा;

(ख) अनुज्ञापन प्राधिकारी के समाधानप्रद रूप में छत और फ़र्श-दोनों के पास अच्छी तरह से संवातित होगा। रेशनदानों के द्वार जस्तेदार लोहे या अन्य असंक्षारक धातु के तार की गेज की, जिसमें तांबा नहीं होगा, और 11 प्रतिलाइनियर सें. मी. में अन्यून जाली की दो परतों से ढका होगा।

(ग) जलरोधी होगा।

(घ) पर्याप्त क्षमता वाला होगा जिससे कि उसमें ढेर के चारों ओर कम से कम 60 सें. मी. मार्गवीथी की जगह छोड़ते हुए भंडार की जाने वाली कार्बाइड की मात्रा को सुविधापूर्वक रखा जा सकेगा।

टिप्पण :—कार्बाइड के भंडारकरण के लिए फ़र्श के क्षेत्र की गणना 2 वर्ग मीटर/टन की दर से की जाएगी : परन्तु ढेर की ऊंचाई 2 मीटर तक सीमित होगी और भंडारकरण शैड की ऊंचाई 3 मीटर से कम नहीं होगी।

29. भंडारकरण परिसरों में प्रबंध—कार्बाइड के पात्रों का रैंकों या मंचिकाओं पर अथवा भंडारकरण परिसरों के भीतर फ़र्श की सतह से कम से कम 30 सें. मी. ऊपर बनाए गए प्लेटफ़ार्म पर स्वच्छता पूर्वक ढेर लगाया जाएगा।

अध्याय 6

अनुशक्तियां

30. अनुशक्ति का अनुदत्त किया जाना—इन नियमों के अधीन अनुशक्तियां, पहली अनुसूची में उल्लिखित अनुज्ञापन प्राधिकारियों द्वारा इस प्रयोजन के लिए विनिर्दिष्ट प्ररूपों में और उनमें विनिर्दिष्ट फ़ीस का संदाय किए जाने पर अनुदत्त की जा सकेंगी।

31. वह अवधि जिसके लिए अनुशक्तियां अनुदत्त या नवीकृत की जा सकेंगी :—

(1) इन नियमों के अधीन अनुदत्त या नवीकृत प्रत्येक अनुशक्ति उस वर्ष के 31 दिसम्बर तक, जिस तक अनुशक्ति अनुदत्त या नवीकृत की जाती है, जो अधिक से अधिक 3 वर्ष तक हो सकेंगी, प्रवृत्त रहनी।

- (2) उपनियम (1) में किसी बात के होते हुए भी जहाँ अनुज्ञापन प्राधिकारी का यह समाधान हो जाता है कि अनुज्ञप्ति किसी ऐसे विनिर्दिष्ट कार्य या उत्सव के लिए अपेक्षित है जिसके उस वर्ष के 31 दिसम्बर तक समाप्त होने की संभावना नहीं है जिसके लिए अनुज्ञप्ति अनुदत्त या नवीकृत की जाती है, वहाँ वह, ऐसी अवधि के लिए जो वस्तुतः आवश्यक है, अनुज्ञप्ति को अनुदत्त या नवीकृत कर सकेगा।

32. अनुज्ञप्ति के लिए आवेदन—एसा व्यक्ति जो इन नियमों के अधीन कोई अनुज्ञप्ति प्राप्त करना चाहता है, ऐसी अनुज्ञप्ति अनुदत्त करने के लिए सशक्त प्राधिकारी को प्ररूप-1 में आवेदन प्रस्तुत करेगा।

33. अनुज्ञप्ति की विनिर्दिष्टियाँ—

- (1) इन नियमों के अधीन अनुदत्त प्रत्येक अनुज्ञप्ति उसमें विनिर्दिष्ट शर्तों के अधीन रहते हुए प्रारित की जाएगी और उसमें वे सभी विनिर्दिष्टियाँ अंतर्निहित होंगी जो इन नियमों के अधीन विनिर्दिष्ट प्ररूप में अन्तर्निहित हैं।
- (2) परिसरों के लिए रेखांक या रेखाकों की एक प्रति जो अनुज्ञापन प्राधिकारी द्वारा अनुमोदन के प्रतीक-स्वरूप हस्ताक्षरित हो, अनुज्ञप्ति के साथ संलग्न की जाएगी जो ऐसी अनुज्ञप्ति का भाग होगी और एक समरूप प्रति अनुज्ञापन प्राधिकारी के कार्यालय में अभिलेख के लिए फाइल की जाएगी।

34. अनुज्ञप्ति किए जाने के लिए प्रस्तावित परिसर के विनिर्देशों और रेखाकों का पूर्व अनुमोदन—

- (1) ऐसा प्रत्येक व्यक्ति जो, यथास्थिति, प्ररूप 2, प्ररूप 3 या प्ररूप 4 में कार्बाइड का आयात या भंडार करने के लिए कोई अनुज्ञप्ति प्राप्त करना चाहता है, एक आवेदन अनुज्ञापन प्राधिकारी को प्रस्तुत करेगा जिसके साथ निम्नलिखित होंगे :—
- (क) मापमान के संबंध में दो प्रतियों में विनिर्देश और बनाए गए रेखांक जिनमें निम्नलिखित को स्पष्ट रूप से उपदर्शित किया जाएगा अर्थात् :—
- (1) वह रीति जिससे इन नियमों के अधीन विहित उपबंधों का अनुपालन किया जाएगा;
- (2) अनुज्ञप्ति किए जाने के लिए प्रस्तावित परिसर जिनका क्षेत्र सुभिन्नतः या अन्यथा चिह्नित किया जाएगा;
- (3) ऐसे शोध के, जो अनुज्ञप्ति किए जाने के लिए प्रस्तावित हैं, छोर से 50 मीटर

के भीतर आने वाले आसपास के क्षेत्र और सभी परिसर, सड़क आदि;

- (4) भंडारकरण-शौड की स्थिति, सन्निर्माण का व्यौरा तथा भूमि और ऊँचाई-दृश्य;

(ख) 10 रु. संवीक्षा फीस, जिसका संदाय नियम 46 में विनिर्दिष्ट रीति से किया जाएगा।

- (2) यदि अनुज्ञापन प्राधिकारी का, विनिर्देशों और रेखाओं की संवीक्षा करने के पश्चात् तथा ऐसी पूछताछ करने के पश्चात् जो वह ठीक समझे, यह समाधान हो जाता है कि कार्बाइड का, अनुज्ञप्ति किए जाने के लिए प्रस्तावित परिसरों में भंडार किया जा सकता है, तो वह अपने द्वारा हस्ताक्षरित और ऐसी शर्तों के अधीन रहते हुए जो वह विनिर्दिष्ट करे, अपनी मंजूरी देते हुए विनिर्देशों और रेखाओं में से प्रत्येक की एक-एक प्रति आवेदक को वापस करेगा।

35. अनुज्ञप्ति परिसरों में परिवर्तन के लिए पूर्व अनुमोदन आवश्यक :—

- (1) अनुज्ञप्ति परिसरों में कोई परिवर्तन तब तक नहीं किया जाएगा जब तक ऐसे परिवर्तन को दर्शित करने वाले रेखांक या रेखाओं को अनुज्ञापन प्राधिकारी द्वारा लिखित रूप में अनुमोदित नहीं कर दिया गया है।
- (2) ऐसा व्यक्ति जो अनुज्ञापन परिसरों में कोई परिवर्तन करना चाहता है, अनुज्ञापन प्राधिकारी को निम्नलिखित प्रस्तुत करेगा :—
- (क) अनुज्ञप्ति परिसरों के समुचित रूप से बनाए गए रेखांक की तीन प्रतियाँ जिनमें प्रस्तावित परिवर्तनों को सुभिन्न रंग या रंगों में दर्शित किया गया हो और उनके लिए जो कारण हों,
- (ख) प्रस्तावित परिवर्तन की संवीक्षा के लिए 10 रु. फीस।
- (3) यदि अनुज्ञापन प्राधिकारी का, प्रस्तावित परिवर्तन को दर्शित करने वाले रेखांक की संवीक्षा करने के पश्चात् और ऐसी पूछताछ करने के पश्चात् जो वह ठीक समझे, यह समाधान हो जाता है कि प्रस्तावित किए जा सकते हैं, तो वह अपने द्वारा हस्ताक्षरित और ऐसी शर्तों के अधीन रहते हुए जो वह विनिर्दिष्ट करे, अपनी मंजूरी देते हुए रेखांक की एक प्रति अनुज्ञप्ति धारी को वापस करेगा :—
- (4) अनुज्ञप्ति का धारक परिवर्तन के लिए मंजूरी के मिलते ही अनुज्ञप्ति के संशोधन के लिए अनुज्ञापन प्राधिकारी को आवेदन करेगा।

36. अनुज्ञप्ति का संशोधन :—

- (1) इन नियमों के अधीन अनुदत्त किसी अनुज्ञप्ति का संशोधन ऐसी अनुज्ञप्ति को अनुदत्त करने के लिए सशक्त प्राधिकारी द्वारा किया जा सकेगा।
- (2) ऐसी अनुज्ञप्ति के संशोधन के लिए फीस 10 रु. धन ऐसी रकम, यदि कोई हो, जिससे ऐसी फीस जो तब संदेय होती है जब अनुज्ञप्ति संशोधित रूप में मूल रूप से जारी की गई होती, अनुज्ञप्ति-धारी द्वारा मूल रूप से संदत्त फीस से अधिक हो जाती है।
- (3) ऐसा अनुज्ञप्तिधारी जो अपनी अनुज्ञप्ति का संशोधन कराना चाहता है, अनुज्ञापन प्राधिकारी को निम्नलिखित प्रस्तुत करेगा, अर्थात् :—
 - (i) प्रप-1 में सम्यक रूप से भरा गया और हस्ताक्षरित आवेदन;
 - (ii) वह अनुज्ञप्ति जिसका संशोधन कराया जाना है और साथ ही उसके साथ संलग्न अनुमोदित रेखांक;
 - (iii) जहां अनुज्ञप्त परिसरों में कोई परिवर्तन किया गया है वहां अनुज्ञापन प्राधिकारी द्वारा नियम 35 के अधीन मंजूर किए गए परिवर्तनों को दर्शित करने वाले समूचित रूप से बनाए गए रेखांकों की तीन प्रतियां;
 - (iv) अनुज्ञप्ति के संशोधन के लिए ऐसी फीस जो उपनियम (2) में विनिर्दिष्ट है।

37. अनुज्ञप्ति का नवीकरण :—

- (iv) अनुज्ञप्ति का नवीकरण, ऐसी अनुज्ञप्ति अनुदत्त करने के लिए सशक्त अनुज्ञापन प्राधिकारी द्वारा किया जा सकेगा :

परन्तु ऐसी अनुज्ञप्ति का जो मुख्य नियंत्रक द्वारा अनुदत्त की गई है, मुख्य नियंत्रक द्वारा सम्यक रूप से प्राधिकृत विस्फोटक नियंत्रक द्वारा बिना परिवर्तन के नवीकरण किया जा सकेगा।

- (2) जहां अधिनियम का या उसके अधीन बनाए गए नियमों का अथवा इस प्रकार नवीकृत अनुज्ञप्ति की किसी शर्त का उल्लंघन नहीं किया गया है वहां इन नियमों के अधीन अनुदत्त प्रत्येक अनुज्ञप्ति तीन कैलेण्डर वर्ष के लिए नवीकरणीय होगी।
- (3) जहां ऐसी अनुज्ञप्ति का, जिसका एक वर्ष से अधिक के लिए, नवीकरण किया गया है, उनकी समाप्ति से पहले अभ्यर्पण कर दिया जाता है वहां अनुज्ञप्ति के अनवसित भाग के लिए संदत्त नवीकरण फीस अनुज्ञप्तिधारी को वापस कर दी जाएगी :

परन्तु नवीकरण फीस की वापसी किसी ऐसे कैलेण्डर वर्ष के लिए नहीं की जाएगी जिसके दौरान :—

- (क) अनुज्ञापन प्राधिकार नवीकृत अनुज्ञप्ति अभ्यर्पण के लिए प्राप्त करता है, या
- (ख) कोई कार्वाइड, अनुज्ञप्ति के प्राधिकार के अधीन प्राप्त होता है या उसका भंडार किया जाता है।
- (4) उपनियम (2) के अधीन प्रत्येक आवेदन प्रप 1 में किया जाएगा और उसके साथ वह अनुज्ञप्ति जिसका नवीकरण किया जाता है और साथ ही अनुज्ञप्ति से संलग्न अनुमोदित रेखांक और नवीकरण फीस होगी।
- (5) अनुज्ञप्ति के नवीकरण के लिए प्रत्येक आवेदन इस प्रकार किया जाएगा जिससे कि वह उस तारीख से जिसको वह समाप्त होती है, कम से कम तीस दिन पहले अनुज्ञापन प्राधिकारी के पास पहुंच जाए और यदि आवेदन इस प्रकार किया जाता है तो अनुज्ञप्ति को ऐसी तारीख तक जिसको अनुज्ञापन प्राधिकारी, अनुज्ञप्ति का नवीकरण करता है या ऐसी सूचना तक कि अनुज्ञप्ति को नवीकरण करने से इंकार कर दिया गया है, आवेदक को संसूचित नहीं कर दिया जाता है, प्रवृत्त समझा जाएगा।
- (6) जहां अनुज्ञप्ति का नवीकरण करने से इंकार कर दिया जाता है वहां नवीकरण के लिए संदत्त फीस उस तारीख से जिससे ऐसी अनुज्ञप्ति नवीकृत की जानी थी प्रारम्भ होने वाली और उस तारीख को जिसको उसका नवीकरण करने से इंकार किया गया है, समाप्त होने वाली अवधि के लिए अनुपातिक फीस उसमें से काटने के पश्चात् अनुज्ञप्तिधारी को वापस कर दी जाएगी।
- (7) प्रत्येक कैलेण्डर वर्ष के लिए अनुज्ञप्ति के नवीकरण के लिए वही फीस प्रभारित की जाएगी जो उसके अनुदत्त किए जाने के लिए प्रभारित की जाती है।

परन्तु—

- (i) यदि आवेदन, उपनियम (4) के अधीन अपेक्षित संलग्नकों सहित, उपनियम (5) में विनिर्दिष्ट समय के भीतर प्राप्त नहीं होता है, तो अनुज्ञप्ति, ऐसी फीस का संदाय किए जाने पर ही नवीकृत की जाएगी जो सामान्यतः संदेय फीस की दुगुनी होगी।
- (ii) यदि संलग्नकों सहित ऐसा आवेदन, अनुज्ञप्ति की समाप्ति की तारीख के पश्चात् किन्तु ऐसी समाप्ति की तारीख से तीस दिन के पश्चात् अनुज्ञापन प्राधिकारी द्वारा प्राप्त किया जाता है तो ऐसी अनुज्ञप्ति का

ऐसी किसी आय कार्यवाही पर जो इस निमित्त की जा सकती है, प्रतिकूल प्रभाव डाले बिना सामान्यतः संदेय फीस से दुगुनी फीस का संदाय किए जाने पर नवीकरण किया जा सकेगा :

परन्तु यह और कि किसी एक समय में एक कैलेण्डर वर्ष से अधिक अवधि के लिए एवी अनुज्ञप्ति के नवीकरण के लिए आवेदन की दशा में, पहले परन्तुक के खंड (i) या खंड (ii) के अधीन विहित फीस का यदि संदेय हो, नवीकरण के पहले कैलेण्डर वर्ष के लिए ही संदाय किया जाएगा।

38 अनुज्ञप्ति के लिए इंकार किया जाना: अनुज्ञप्ति को अनुदत्त, संशोधित, नवीकृत या अन्तरित करने से इंकार करने वाला अनुज्ञापन प्राधिकारी, ऐसे इंकार के लिए जो कारण है उन्हें लेखबद्ध करेगा।

39. अनुज्ञप्ति का निलंबन और रद्दकरण:—

1. इन नियमों के अधीन अनुदत्त प्रत्येक अनुज्ञप्ति—

- (i) यदि अनुज्ञप्तिधारी का कार्बाइड के भंडारकरण के लिए किसी स्थल पर अधिकार समाप्त हो जाता है तो, रद्द हो जाएगी;
- (ii) अधिनियम के या उसके अधीन बनाए गए किसी नियम के अथवा ऐसी अनुज्ञप्ति में अन्तर्विष्ट किसी शर्त के किसी उल्लंघन के लिए अनुज्ञापन प्राधिकारी के किसी आदेश द्वारा अथवा केन्द्रीय सरकार के आदेश द्वारा, यदि उसका यह समाधान हो जाता है कि ऐसा करने के लिए पर्याप्त आधार है, तो निलंबित या रद्द की जा सकेगी।

परन्तु—

- (क) इस नियम के अधीन किसी अनुज्ञप्ति को निलम्बित या रद्द करने से पहले, अनुज्ञप्ति के धारक को सुनवाई का अवसर दिया जाएगा;
 - (ख) निलम्बन की अधिकतम अवधि तीन मास से अधिक नहीं होगी; और
 - (ग) किसी अनुज्ञप्ति का निलम्बन अनुज्ञप्ति के धारक को नियम 37 के उपबन्धों के अनुसार उसके नवीकरण के लिए आवेदन करने से विवर्जित नहीं करेगा।
- (2) उपनियम (1) में किसी बात के होते हुए भी सुनवाई का अवसर किसी अनुज्ञप्ति के धारक को उसकी अनुज्ञप्ति के निलम्बन या रद्दकरण से पहले निम्नलिखित दशाओं में नहीं दिया जा सकेगा:—
- (क) जहां अधिनियम के या इन नियमों के किसी उपबन्ध के अथवा ऐसी अनुज्ञप्ति में अन्तर्विष्ट किसी शर्त के अतिक्रमण के लिए किसी अंतरिम उपाय के रूप में अनुज्ञापन प्राधिकारी द्वारा अनु-

ज्ञप्ति का निलम्बन किया जाता है और उसकी राय में ऐसे अतिक्रमण से जनता को असन्त खतरा होने की संभावना है:—

परन्तु जहां कोई अनुज्ञप्ति इस प्रकार निलम्बित की जाती है वहां अनुज्ञापन प्राधिकारी ऐसे निलम्बन आदेश की पुष्टि किए जाने से पहले अनुज्ञप्ति के धारक को सुनवाई का अवसर देगा।

- (ख) जहां अनुज्ञप्ति केन्द्रीय सरकार द्वारा निलम्बित या रद्द की जाती है और यदि सरकार का यह विचार है कि लोकहित में या राज्य की सुरक्षा के हित में ऐसा अवसर न दिया जाए।
- (3) उपनियम (1) के अधीन किसी अनुज्ञप्ति को निलम्बित या रद्द करने वाला अनुज्ञापन प्राधिकारी या केन्द्रीय सरकार, ऐसा करने के लिए जो कारण है उन्हें, लेखबद्ध करेगी।

40. अनुज्ञप्ति के समाप्त होने, उसको निलम्बित किए जाने या उसके रद्दकरण पर प्रक्रिया—

- (1) कार्बाइड का भण्डार करने के लिए अनुज्ञप्ति कोई व्यक्ति, अपनी अनुज्ञप्ति की समाप्ति, उसके निलम्बन या रद्दकरण पर, जिला प्राधिकारी को अपने कब्जे में के कार्बाइड की मात्रा के बारे में तुरंत सूचना देगा और ऐसे निदेशों का अनुपालन करेगा जो जिला प्राधिकारी द्वारा, मुख्य नियंत्रक की सिफारिश पर उसके, व्ययन के संबंध में दिए जाएं।
- (2) जिला प्राधिकारी, अस्थायी अनुज्ञप्ति के जारी किए जाने के समय वास्तव में धारित कार्बाइड के भण्डारकरण के लिए अस्थायी अनुज्ञप्ति, यथास्थिति, ऐसी समाप्ति, निलम्बन या रद्दकरण की तारीख से तीन मास से अधिक अवधि के लिए अनुदत्त कर सकेगा :

परन्तु—

- (क) जहां समाप्त, निलंबित या रद्द अनुज्ञप्ति जिला प्राधिकारी से भिन्न किसी अन्य प्राधिकारी द्वारा अनुदत्त की गई थी वहां कोई अस्थायी अनुज्ञप्ति ऐसे अन्य प्राधिकारी की पूर्व सहमति के बिना अनुदत्त नहीं की जाएगी :
- (ख) उपनियम (2) के अधीन अनुदत्त अनुज्ञप्ति पर प्रभार्य फीस का समाप्त या रद्द या निलम्बित अनुज्ञप्ति पर प्रभारित फीस के वही अनुपात होगा जो अस्थायी अनुज्ञप्ति के अंतर्गत आने वाली अवधि का पूरे वर्ष से है।

41. अपीलें:—

- (1) किसी अनुज्ञप्ति को अनुदत्त, संशोधित या नवीकरण को रद्द करने वाले या इंकार करने वाले,

अथवा किसी अनुज्ञप्ति के रद्दकरण या निलम्बन के आदेश के विरुद्ध कोई अपील—

- (i) केन्द्रीय सरकार को होगी, यदि ऐसा आदेश मुख्य नियंत्रक द्वारा पारित किया जाता है ;
 - (ii) मुख्य नियंत्रक को होगी, यदि ऐसा आदेश विस्फोटक नियंत्रक द्वारा पारित किया जाता है ;
 - (iii) जिला प्राधिकारी से ठीक ऊपर के वरिष्ठ अधिकारी को होगी, यदि ऐसा आदेश जिला प्राधिकारी द्वारा पारित किया जाता है ।
- (2) प्रत्येक अपील लिखित रूप में होगी और उसके साथ उस आदेश की एक प्रति होगी जिसके विरुद्ध अपील की गई है तथा पारित आदेश के साठ दिन के भीतर प्रस्तुत की जाएगी ।

42. अनुज्ञप्ति का अंतरण—

- (1) किसी अनुज्ञप्ति का धारक ऐसी अनुज्ञप्ति की समाप्ति से पहले किसी भी समय ऐसी अनुज्ञप्ति का किसी अन्य व्यक्ति को अंतरण करने के लिए अनुज्ञापन प्राधिकारी को आवेदन कर सकेगा ।
 - (2) किसी अनुज्ञप्ति के अंतरण के लिए प्रत्येक आवेदन के साथ निम्नलिखित होगा :—
 - (i) ऐसी अनुज्ञप्ति के धारक द्वारा हस्ताक्षरित पत्र जिसमें ऐसे व्यक्ति का जिसको वह अनुज्ञप्ति का अंतरण करना चाहता है, पूरा नाम और पता तथा अनुज्ञप्त परिसरों का पूरा कब्जा उपदर्शन किया जाएगा ;
 - (ii) वह अनुज्ञप्ति जिसका अंतरण किया जाना है और उसके साथ उसके संलग्न अनुमोदित रेखांक होंगे ;
 - (iii) ऐसे व्यक्ति द्वारा जिसकी अनुज्ञप्ति का अंतरण किया जाना है, सम्यक् रूप से भरा गया और हस्ताक्षरित प्रारूप-1 में आवेदन ;
- (4) नियम 46 में विनिर्दिष्ट रीति से मंदत 10 रुपए फीस ।
- (iii) उपनियम (2) के अधीन अपेक्षित दस्तावेजों और फीस की प्राप्ति पर अनुज्ञापन प्राधिकारी, यदि वह अंतरण का अनुमोदन करना है तो, अनुज्ञप्ति के ऊपर अपने हस्ताक्षर सहित इस आशय का तृष्ठांकन करेगा कि अनुज्ञप्ति का इस प्रकार नामित व्यक्ति को अंतरण कर दिया गया है ।
 - (4) ऐसा व्यक्ति जिसको अनुज्ञप्ति का इस प्रकार का अंतरण किया जाता है, अनुज्ञप्ति के अधीन वही ही शक्तियों का उपभोग करेगा और वही ही बाध्यताओं के अधीन होगा जो मूल अनुज्ञप्तिधारी की है ।

43. अनुज्ञप्तिधारी की मृत्यु या उसके निःशक्त हो जाने पर प्रक्रिया :—

- (1) यदि किसी अनुज्ञप्तिधारी की मृत्यु हो जाती है अथवा वह दिवालिया या मानसिक रूप से असमर्थ हो जाता है अथवा अन्यथा निःशक्त हो जाता है तो ऐसे अनुज्ञप्तिधारी के कारबार को चलाने वाला व्यक्ति, ऐसे समय के दौरान जो उस वर्ष की बाबत जिसमें अनुज्ञप्तिधारी की मृत्यु हो जाती है अथवा वह दिवालिया या मानसिक रूप से असमर्थ हो जाता है अथवा निःशक्त हो जाता है, मूल अनुज्ञप्ति के अनवसित भाग के लिए अपने नाम में नई अनुज्ञप्ति के लिए कोई आवेदन करने के लिए उसे अनुज्ञात करने के लिए युक्तियुक्त रूप से अपेक्षित है, अनुज्ञप्तिधारी को अनुदत्त शक्तियों का प्रयोग करने के लिए अधिनियम के या इन नियमों के अधीन किसी शास्ति या अधिहरण के लिए दायी नहीं होगा :

परन्तु इस उपनियम की कोई बात, अनुज्ञप्ति की अवधि की समाप्ति के पश्चात् किसी व्यक्ति को, इस उपनियम के अधीन किसी शक्ति का प्रयोग करने के लिए प्राधिकृत करने वाली नहीं समझी जाएगी ।

- (2) इन नियमों के अधीन अनुज्ञप्ति के लिए आवेदन करने वाले किसी व्यक्ति को अनुदत्त मूल अनुज्ञप्ति के अनवसित भाग के लिए नई अनुज्ञप्ति के लिए 10 रुपए फीस प्रभारित की जाएगी ।

44. अनुज्ञप्ति की हानि :—जहां इन नियमों के अधीन अनुदत्त कोई अनुज्ञप्ति विरूपित हो जाती है, खो जाती है, नष्ट हो जाती है, या अन्यथा बेकार हो जाती है वहां उसकी दूसरी प्रति, अनुज्ञप्ति से संलग्न रेखांक या रेखांकों के समरूप रेखांक या रेखांकों की प्रति प्रस्तुत किए जाने पर और 10 रु० फीस संदाय किए जाने पर अनुदत्त की जा सकेगी ।

45. मांग पर अनुज्ञप्ति का पेश किया जाना—

- (1) इन नियमों के अधीन अनुदत्त किसी अनुज्ञप्ति को धारण करने वाला या उसके अंतर्गत कार्य करने वाला प्रत्येक व्यक्ति ऐसे स्थान पर जिसको अनुज्ञप्ति लागू होती है, किसी निरीक्षक द्वारा ऐसा करने के लिए अपेक्षा किए जाने पर, ऐसी अनुज्ञप्ति या उसकी एक अधिप्रमाणित प्रति पेश करेगा ।
- (2) किसी अनुज्ञप्ति की प्रतियां, इस नियम के प्रयोजन के लिए प्रत्येक अधिप्रमाणित प्रति के लिए 10 रुपए फीस संदाय किए जाने पर ऐसे प्राधिकारी द्वारा अधिप्रमाणित की जा सकेगी जो अनुज्ञप्ति अनुदत्त करता है ।

46. फीस का संदाय :—इन नियमों के अधीन संवेय फीस का निम्नलिखित रीति से संदाय किया जाएगा :—

- (1) विस्फोटक विभाग, नागपुर के मुख्य विस्फोटक नियंत्रक द्वारा नामनिर्देशित किसी अधिकारी के पक्ष में किसी राष्ट्रीयकृत बैंक पर लिखे गए फ्रास मांगदेय ड्राफ्ट द्वारा फीस जो नागपुर में संवेय होगी, और यदि संवेय रकम 100 रुपये से अधिक नहीं है तो ऐसा संदाय नकद पोस्टल ऑर्डर या किसी स्थानीय राष्ट्रीयकृत बैंक पर लिखे गए बैंक द्वारा किया जा सकेगा।
- (2) विस्फोटक नियंत्रक को संवेय फीस, ऐसे विस्फोटक नियंत्रक के पक्ष में जिसको संदाय किया जाता है किसी राष्ट्रीयकृत बैंक पर लिखे गए किसी फ्रास मांगदेय ड्राफ्ट द्वारा संदाय किया जाएगा जो ऐसे स्टेशन पर संवेय होगा जहाँ उसका कार्यालय स्थित है और यदि संवेय रकम 100 रुपये से अधिक नहीं है तो ऐसा संदाय नकद, पोस्टल ऑर्डर या किसी स्थानीय राष्ट्रीयकृत बैंक पर लिखे गए बैंक द्वारा किया जा सकेगा।

47. अतिलंघन की रिपोर्ट पर प्रक्रिया :—जिला प्राधिकारी, अधिनियम या इन नियमों के अतिलंघन की किसी रिपोर्ट पर जो विस्फोटक नियंत्रक या मुख्य नियंत्रक द्वारा उसको की जाए, अपने द्वारा की गई कार्रवाई की सूचना उक्त विस्फोटक नियंत्रक या मुख्य नियंत्रक को देगा।

48. प्राधिकारियों पर कार्यपालक नियंत्रण :—केन्द्रीय सरकार से भिन्न ऐसा प्रत्येक प्राधिकारी जो इस अध्याय के अधीन कार्य कर रहा है केन्द्रीय सरकार के नियंत्रण के अधीन अपने कर्तव्यों का पालन करेगा,

परन्तु इस नियम की कोई बात मुख्य नियंत्रक के अधीनस्थ अधिकारियों के ऊपर उसके कार्यपालक नियंत्रण की शक्तियों पर प्रभाव डालने वाली नहीं समझी जाएगी।

अध्याय 7

दुर्घटनाओं की सूचना

49. दुर्घटना की सूचना :—(1) अधिनियम की धारा 27 के अधीन किसी दुर्घटना की सूचना :—

- (क) मुख्य नियंत्रक को दी जाने वाली सूचना की दशा में तुरंत तार द्वारा (तार का पता एक्सप्लोसिब्स, नागपुर) को तुरंत दी जाएगी जिसके 24 घंटे के भीतर दुर्घटना की विविधियाँ देते हुए एक पत्र भी भेजा जाएगा; और

(ख) किसी शीघ्रतम संचार-साधन द्वारा निकटतम मजिस्ट्रेट को या पुलिस थाने के भारसाधक अधिकारी को जो उस पर अधिकारिता रखता है, दी जाएगी।

(ग) मुख्य नियंत्रक या उसके प्रतिनिधि द्वारा निरीक्षण करने के समय तक या उस समय तक जब तक इन प्राधिकारियों से ये अनुदेश प्राप्त नहीं होते जाते हैं कि वह कोई और अन्वेषण या जांच नहीं करना चाहता है सभी ध्वंसावशेषों और मलबों को तब तक नहीं हटाया जाए जब तक ऐसा हटाया जाना दुर्घटना से क्षतिग्रस्त व्यक्तियों के बचाव के लिए और उसमें मृत व्यक्तियों के शवों को ध्वंसावशेष और मलबे से निकालने के लिए अथवा रेल की दशा में सीधी संचार-व्यवस्था के पुनःस्थापन के लिए आवश्यक न हो।

अध्याय 8

छूट

50. निरसन और व्यावृत्ति :—(1) कैलिसियम कार्बाइड नियम, 1937 इसके द्वारा निरसित किए जाते हैं।

(2) ऐसे निरसन के होते हुए भी—

(1) उक्त नियमों के अधीन अनुदत्त या नवीकृत सभी अनुज्ञप्तियाँ या उसकी दूसरी प्रतियाँ और अधिरोपित या उद्गृहीत सभी फीस, इन नियमों के तत्स्थानी उपबंधों के अधीन, यथास्थिति, अनुदत्त, नवीकृत, अधिरोपित या उद्गृहीत की गई समझी जाएगी।

(2) किसी अधिसूचना या नियम द्वारा या उसके अधीन किए गए सभी अनुमोदन और प्रदत्त सभी शक्तियों जहाँ तक कि वे अधिनियम के या इन नियमों के उपबंधों से संगत हैं, इन नियमों द्वारा या इनके अधीन दी गई या प्रदत्त समझी जाएगी।

[मिनिश संख्या-2(21)/75-डी.पी.आर./ई.जी.जी./खण्ड II]

ए. बी. गोकाक,
संयुक्त सचिव

पहली अनुसूची

[अनुज्ञप्ति (नियम 30 देखिए)]

अनुच्छेद सं. अनुज्ञप्ति का प्रारूप (दूसरी अनुसूची बहुप्रयोजन जिसके लिए अनुवर्त की गई देखिए)	हो	अनुज्ञप्ति अनुवर्त करने के लिए सशक्त प्राधिकारी	फीस	
1	2	3	4	5
1. II	एक समय में 500 कि. ग्रा. से अधिक मात्रा में कार्बाइड का आयात करने और भंडार करने के लिए	जिला प्राधिकारी		प्रत्येक कलेंडर वर्ष या उसके भाग लिए 25 रु.
2. III	एक समय में 500 कि. ग्रा. से अधिक विस्फोटक नियंत्रक मात्रा में कार्बाइड का आयात करने और भंडार करने के लिए	मुख्य नियंत्रक		प्रथम 500 कि. ग्रा. के लिए 25 रु. और प्रत्येक अतिरिक्त 500 कि. ग्रा. या उसके भाग के लिए 10 रु. किन्तु यह प्रत्येक कलेंडर वर्ष या उसके भाग के लिए 1500 रु० अधिकतम के अधीन रहते हुए होगा।
3. IV	कार्बाइड का आयात करना और उसे ऐसे एलिटीजीन संयंत्र के भाग के रूप में भंडारण होठ में रखना।	मुख्य नियंत्रक		जैसा अनुच्छेद 2 में दिया गया है।

दूसरी अनुसूची

प्रारूप

प्रारूप I

(नियम 32, 36, 37 और 42 देखिए)

कार्बाईड का आयात और भंडार करने के लिए अनुज्ञप्ति के अनुवर्त / संशोधित / नवीकरण / अंतर्हित करने के लिए आवेदन।
(उत्तर इस स्तंभ में लिखे जाएंगे)

1. वह नाम जिसमें अनुज्ञप्ति प्रेषित है।
2. प्राप्ति-स्थिति / रजिस्ट्रीकृत / अरजिस्ट्रीकृत कंपनी
3. आयु केवल व्यक्तियों के लिए
4. डाक का पता
पिन कोड
टेलीफोन सं.
टेलीग्राफ का पता
टेलीक्स
5. परिसर की अवस्थिति
राज्य
जिला
नगर या ग्राम
मकान सं. / नगरपालिका सं.
पुलिस थाना
रेल स्टेशन
6. आयात और भंडार करने के लिए प्रस्तावित कार्बाईड की मात्रा
- * 7. परिसर में पहले से ही भंडार किए गए कार्बाईड की मात्रा
- * 8. वह प्रारूप जिसमें अनुज्ञप्ति प्रेषित है।
- * 9. बचिव के लिए आवेदन अनुज्ञप्ति का संख्यांक और अनुज्ञप्ति जारीक का पूरा नाम और पता।

* 10. अनुज्ञापक—

- (1) रेखांक सं. _____ जो _____ द्वारा पत्र सं. _____
 तारीख _____ द्वारा अनुमोदित तीन प्रतियों / चार प्रतियों में)
- (2) अनुज्ञप्ति सं. _____ तारीख _____
- (3) _____ पर लिखा गया _____ के लिए _____ बैंक डाफ्ट / बैंक
 सं. / पोस्टल ऑर्डर सं. _____
 तारीख _____

मैं यह प्रमाणित करता हूँ कि उपरवी गई जानकारी सही है।

स्थान :

तारीख :

आवेदक के ह०/-

परमान/प्रास्थित पूरा डाक पता

टिप्पण * (1) जो लागू न हो उसे काट दें।

- (2) उस दशा में जिसमें आवेदन किसी कंपनी के नाम से किया जाता है वहाँ निदेशकों और भागीदारी के नाम और पते और उस व्यक्ति या उन व्यक्तियों के नाम, पते और नमूना हस्ताक्षर और आवेदित अनुज्ञप्ति को बाबत पात्राचार पर हस्ताक्षर करने के लिए प्राधिकृति है, अलग कमरा पर (दो प्रतियों में) दिए जाने चाहिए और इस आवेदन पत्र के साथ संलग्न किया जाना चाहिए। उल्लेखित जानकारी में किसी भी परिवर्तन की सूचना, अनुज्ञापन प्राधिकारी को और अनुज्ञप्ति नवीकरण करने वाले प्राधिकारी को तुरंत दी जानी चाहिए।

प्रकरण II

(पहली अनुसूची का अनुच्छेद 1)

एक समय में 500 कि. ग्रा. से अधिक मात्रा में कार्बाईड का आयात और भंडार करने के लिए अनुज्ञप्ति।

अनुज्ञप्ति सं. _____ फीस _____ रु. प्रतिवर्ष

श्री _____ को पैट्रोसियम अधिनियम, 1934 और कैल्सियम कार्बाईड नियम, 1987 के उपबंधों तथा इन अनुज्ञप्ति की शर्तों के अधीन रहते हुए नीचे वर्णित परिसर में एक समय में _____ कि. ग्रा. कैल्सियम कार्बाईड का आयात करने और भंडार करने के लिए केवल विधिमार्ग, यह अनुज्ञप्ति अनुवर्त की जाती है। यह अनुज्ञप्ति 21 दिसम्बर, 19— तक प्रवृत्त रहेगी।

तारीख :

जिना अधिकारी

अनुज्ञप्त परिसर का वर्णन

इससे संलग्न रेखांक सं. _____ तारीख _____ में दशित अनुज्ञप्त परिसर में भंडारण शोड समाविष्ट है और _____

में अवस्थित है।

नवीकरण के पृष्ठांकन के लिए स्थान

नवीकरणों के पृष्ठांकन के लिए स्थान

नवीकरण की तारीख	समाप्ति की तारीख	अनुज्ञापन प्राधिकारी के हस्ताक्षर
1.		
2.		
3.		
4.		

शर्तें :—

1. भंडारकरण शोड उपयुक्त अज्वलनशील सामग्री से निर्मित किया जाएगा।

2. भंडारकरण शोड में भूमि स्तर पर और छत के पास पर्याप्त संख्या में संवातक होंगे और वे जलरोधी होंगे। संवातक बढ़िया जस्तेदार लोहे या अन्य असंक्षारक धातु के तार की गेज की ऐसी जाली से ढका होगा जो 11 रैखिक सें. मी. से अन्यून होगी।

3. भंडारकरण शोड को सदैव मरम्मत करके अच्छा स्थिति में रखा जाएगा और उसे अच्छी हालत में बनाए रखा जाएगा।

4. अनुज्ञप्त परिसर में कोई भी अपांतरण अनुज्ञापन प्राधिकारी की लिखित पूर्व मंजूरी के बिना नहीं किया जाएगा। सभी अपांतरणों को अनुज्ञप्ति के साथ संलग्न किए जाने वाले संशोधित रेखांक में दशित किया जाएगा।

5. यदि अनुज्ञापन प्राधिकारी अनुज्ञप्ति के धारक से लिखित सूचना द्वारा अनुज्ञप्त भवन में कोई ऐसी मरम्मत करने की अपेक्षा करता है जो ऐसे प्राधिकारी की राय में उसकी सुरक्षा के लिए आवश्यक हो तो अनुज्ञप्ति का धारक ऐसी अवधि के भीतर जो सूचना की प्राप्ति की तारीख से एक मास से कम की नहीं होगी जैसा कि सूचना में नियत की जाए, मरम्मत कराएगा।

6. अनुज्ञप्तिधारी किसी ऐसे व्यक्ति को कैल्सियम कार्बाइड का विक्रय नहीं करेगा या अन्यथा परिधान नहीं करेगा जिसके पास कैल्सियम कार्बाइड का भंडार करने के लिए इन नियमों के अधीन अनुदत्त अनुज्ञप्ति नहीं है या वह उससे अन्यथा छूट प्राप्त नहीं है। इस प्रकार विक्रय की गई या परिदत्त कार्बाइड की मात्रा उस मात्रा से अधिक नहीं होगी जिसे प्राप्त करने वाला व्यक्ति अपने कब्जे में रखने के लिए प्राधिकृत है।

7. एक समय में कैल्सियम कार्बाइड के एक ही पात्र को खोला जाएगा और केवल उतने ही समय के लिए जितना अन्य पात्र को पुनः भरने के लिए अपेक्षित कार्बाइड को हटाने के लिए आवश्यक हो। इस प्रकार हटाए जाने या भरने के दौरान, आर्द्रता का कैल्सियम कार्बाइड के संपर्क में आना रोकने के लिए साथ ही उस गैस के जो वहां से निकल सकती हो, उससे बचने के लिए प्रत्येक व्यक्ति-युक्त पूर्वावधानी बरती जाएगी।

8. एक किशोराग्राम धारिता से अधिक के प्रत्येक भंडार-करण पात्र को इस प्रकार सुरक्षित रूप से बंद किया जाएगा जिससे कि अप्राधिकृत व्यक्तियों की उसकी अंतर्वस्तु एक पहुंच रोकी जा सके।

9. अनुज्ञप्तिधारी, कार्बाइड की प्राप्तियों और निर्गमों के अभिलेख और लेख प्ररूप V में रखेगा और अपना स्टॉक तथा अभिलेख निरीक्षक या नमूना अधिकारी को मांग किए जाने पर दिखायेगा।

10. अनुज्ञप्ति परिसर का उपयोग केवल कैल्सियम

कार्बाइड के भंडार के लिए ही किया जाएगा, किसी अन्य प्रयोजन के लिए नहीं।

11. आग या विस्फोट द्वारा दुर्घटना से बचने के लिए हर समय सम्यक पूर्वावधानियां बरती जायेंगी और उस भवन के भीतर या उसके समीप जिसमें कैल्सियम कार्बाइड का भंडार किया जाता है, धूम्रपान करने, आग या वृद्धिम प्रकाश या एसीटीलीन को ज्वलित कर सकने वाली वस्तु ले जाने की अनुज्ञा नहीं दी जाएगी।

12. निरीक्षण या नमूना अधिकारी की सभी युक्तियुक्त समयों पर अनुज्ञप्त परिसर में अबाध पहुंच होगी और निरीक्षक को यह अभिनिश्चित करने के लिए कि इन नियमों और इस अनुज्ञप्ति की शर्तों का सम्यक रूप से पालन किया जा रहा है और नमूना अधिकारी को निरीक्षण करने या किसी कार्बाइड की जांच के लिए नमूना लेने के लिए हर सुविधा दी जाएगी।

13. अनुज्ञप्त परिसर के भीतर होने वाली किसी दुर्घटना, आग या विस्फोट की सूचना निकटतम मजिस्ट्रेट को या निकटतम पुलिस थाने के भारसाधक अधिकारी को और तार द्वारा मुख्य विस्फोटक नियंत्रक को तथा उस विस्फोटक नियंत्रक को जिसकी अधिकारिता के भीतर परिसर अवस्थित है, तुरन्त दी जाएगी।

14. भंडारकरण शेड को साफ रखा जाएगा और सभी कूड़े-ककट और धूल को सावधान पूर्वक हटा दिया जाएगा और गहरे पानी में उन्हें फेंक कर समाप्त कर दिया जाएगा।

15. परिसर में एसीटीलीन गैस का जनन नहीं किया जाएगा।

प्ररूप III

(पहली अनुसूची का अनुच्छेद 2)

किसी एक समय में 500 कि. ग्रा. से अधिक मात्रा में कार्बाइड का आयात और भंडार करने के लिए अनुज्ञप्ति। अनुज्ञप्ति सं. _____
 फीस _____ रु. प्रति वर्ष _____ थी _____ को और यह पेट्रोलियम
 अधिनियम, 1934 और कैल्सियम कार्बाइड नियम, 1987 के उपबंधों तथा इस अनुज्ञप्ति की शर्तों के अधीन रहते हुए नीचे वर्णित परिसर में एक समय
 _____ कि. ग्रा. कैल्सियम कार्बाइड का आयात और भंडार करने के लिए केवल विधिवत अनुज्ञप्ति अनुवत्त की जाती है।

यह अनुज्ञप्ति 31 दिसम्बर 19 _____ तक प्रवृत्त रहेगी।

तारीख :

मुख्य विस्फोटक नियंत्रक

अनुज्ञप्ति परिसर का वर्णन

इसमें संलग्न रेखांक सं. _____ तारीख _____ में वर्णित अनुज्ञप्त परिसर में भंडार जोड़ समाविष्ट है और _____ से अवस्थित है।

नवीकरणों के पृष्ठांकन के लिए स्थान

नवीकरण की तारीख	समाप्ति की तारीख	अनुज्ञापन प्राधिकारी के हस्ताक्षर
1		
2		
3		
4		

शर्तें :

1. भंडारकरण शोध, उपयुक्त अज्वलनशील सामग्री से निर्मित किया जाएगा ।

2. भंडारकरण शोध में भूमि स्तर पर और छत के पास पर्याप्त संख्या में संवातक होंगे और वे जल-रोधी होंगे । संवातक बढ़िया जस्तेदार लोहे या अन्य असंक्षारक धातु के तार की गेज की ऐसी जाली से ठका होगा जो 11 रेखिक से.मी. से अन्यून होगी ।

3. भंडारकरण शोध को सदैव मरम्मत करके अच्छी स्थिति में रखा जाएगा और उसे अच्छी हालत में बनाए रखा जाएगा ।

4. अनुज्ञप्त परिसर में कोई भी उपांतरण अनुज्ञापन प्राधिकारी की लिखित पूर्व मंजूरी के बिना नहीं किया जाएगा । सभी उपांतरणों को अनुज्ञप्ति के साथ संलग्न किए जाने वाले संशोधित रेखांक में दर्शाया जाएगा ।

5. यदि अनुज्ञापन प्राधिकारी, अनुज्ञप्ति के धारक से, लिखित सूचना द्वारा, अनुज्ञप्त भवन में कोई ऐसी मरम्मत करने की अपेक्षा करता है जो ऐसे प्राधिकारी की राय में उसकी सुरक्षा के लिए आवश्यक हो तो अनुज्ञप्ति का धारक ऐसी अवधि के भीतर, जो सूचना की प्राप्ति की तारीख से एक मास से कम की नहीं होगी जैसा कि सूचना में नियत की जाए, मरम्मत कराएगा ।

6. अनुज्ञप्तिधारी किसी ऐसे व्यक्ति को कैल्शियम कार्बाइड का विक्रय नहीं करेगा या अन्यथा परिदान नहीं करेगा जिसके पास कैल्शियम कार्बाइड का भंडार करने के लिए इन नियमों के अधीन अनुवृत्त अनुज्ञप्ति नहीं है या वह उसको अन्यथा छूट प्राप्त नहीं है । इस प्रकार विक्रय की गई या परिदत्त कार्बाइड की मात्रा उस मात्रा से अधिक नहीं होगी जिसे प्राप्त करने वाला व्यक्ति अपने कब्जे में रखने के लिए प्राधिकृत है ।

7. एक समय में कैल्शियम कार्बाइड के एक ही पात्र को खोला जाएगा और उतने ही समय के लिए जितना अन्य पात्र को पुनः भरने के लिए अपेक्षित कार्बाइड को हटाने के लिए आवश्यक हो । इस प्रकार हटाए जाने या भरने के दौरान आर्द्रता का कैल्शियम कार्बाइड के संपर्क में आना रोकने के लिए साथ ही उस गैस के जो वहां से निकल सकती हो, ज्वलन के खतरे से बचने के लिए प्रत्येक युक्तियुक्त पूर्वावधानी बरती जाएगी ।

8. एक किलोग्राम धारिता से अधिक के प्रत्येक भंडारकरण पात्र को इस प्रकार सुरक्षित रूप से बंद किया जाएगा जिससे कि अप्राधिकृत व्यक्तियों की उसकी अंतर्वस्तु तक पहुंच रोकी जा सके ।

9. अनुज्ञप्तिधारी कार्बाइड की प्राप्तियों और निर्गमों के अभिलेख और लेखे प्ररूप V में रखेगा और अपना स्टाक तथा अभिलेख निरीक्षक या नमूना अधिकारी को मांग किए जाने पर, दिखाएगा ।

10. अनुज्ञप्त परिसर का उपयोग केवल कैल्शियम कार्बाइड के भंडार के लिए ही किया जाएगा किसी अन्य प्रयोजन के लिए नहीं ।

11. आग या विस्फोटक द्वारा दुर्घटना से बचने के लिए हर समय सम्यक पूर्वावधानियां बरती जाएंगी और उस भवन के भीतर या उसके समीप जिसमें कैल्शियम कार्बाइड का भंडार किया जाता है धूम्रपान करने, आग या कृत्रिम प्रकाश या एसीटिलीन को ज्वलित कर सकने वाली वस्तु ले जाने की अनुज्ञा नहीं दी जाएगी ।

12. निरीक्षक या नमूना अधिकारी की सभी युक्तियुक्त समर्थों पर अनुज्ञप्त परिसर में अवधि पहुंच हांगी और निरीक्षक को यह अभिनिश्चित करने के लिए कि इन नियमों और इस अनुज्ञप्ति की शर्तों का सम्यक रूप से पालन किया जा रहा है और नमूना अधिकारी को निरीक्षण करने या किसी कार्बाइड की जांच करने के लिए नमूना लेने के लिए हर सुविधा दी जाएगी ।

13. अनुज्ञप्त परिसर के भीतर होने वाली किसी दुर्घटना, आग या विस्फोट की सूचना निकटतम मजिस्ट्रेट को या निकटतम पुलिस थाने के भारसाधक अधिकारी को और तार द्वारा मुख्य विस्फोटक नियंत्रक को तथा उस विस्फोटक नियंत्रक को जिसकी अधिकारिता के भीतर परिसर अवस्थित है, तुरंत दी जाएगी ।

14. भंडारकरण शोध को साफ रखा जाएगा और सभी कूड़े-कंकट और धूल को सावधानी पूर्वक हटा दिया जाएगा और गहरे पानी में उन्हें फेंक कर समाप्त कर दिया जाएगा ।

15. परिसर में एसीटिलीन गैस का जनन नहीं किया जाएगा ।

प्रश्न-IV

(पहली अनुसूची का अनुच्छेद 3)¹

एसीटिलीन संयंत्र के भाग रूप भंडारकरण शोध में कार्बाइड का आयात करने और भंडार करने के लिए अनुज्ञप्ति

अनुज्ञप्ति सं. _____ फीस _____ रु. प्रतिवर्ष श्री _____ को

पेट्रोलियम अधिनियम, 1934 और कैल्शियम कार्बाइड नियम, 1987 के उपबंधों तथा इस अनुज्ञप्ति की शर्तों के अधीन रहते हुए नीचे वर्णित परिसर में एक समय में _____ कि. ग्रा. कैल्शियम कार्बाइड का आयात और भंडार करने के लिए केवल विधिवत अनुज्ञप्ति अनुदान की जाती हो ।

यह अनुज्ञप्ति 31 दिसंबर, 19_____ तक प्रवृत्त रहेगा ।

तारीख :

मुख्य विस्फोटक नियंत्रक

अनुज्ञप्त परिसर का वर्णन

इससे सलग्न रेखाक स _____
तारीख _____ में दर्शित अनुज्ञप्त परिसर में भंडारण
शेड समाविष्ट है और _____ में
अवस्थित है।

नवीकरणों के पृष्ठांकन के लिए स्थान

नवीकरण की तारीख समाप्ति की तारीख अनुज्ञापन प्राधिकारी
के हस्ताक्षर

शर्तें:—

1. (क) भंडारण शेड उपयुक्त अज्वलनशील सामग्री से निर्मित किया जाएगा।

(ख) शेड को एसोर्टिनीन सयत्न भवन के अन्य भागों से एक ठोस विभाजन द्वारा अलग किया जाएगा जिसमें कोई मुख नहीं होगा। यदि कोई मुख हो तो वह एक ऐसा मार्ग होगा जिसमें से कार्बाइड पात्रों को भंडारण शेड से एसोर्टिनीन सयत्न क्षेत्र तक लाया और ले जाया जा सके। मार्ग पर स्वतः बंद होने वाले प्रकार का अग्निसह द्वार फिट किया जाएगा।

2 भंडारण शेड में भूमि स्तर पर और छत के पास पर्याप्त संख्या में सवातक होंगे और वह जल-गंधी होंगे। सवातक, बढ़िया जलरोधी जेहे या अन्य असक्षारक धातु के तार की मेज की जाली से ढका होगा जो 11 रेखिक सेमी में अन्यून होगी।

4 भंडारण शेड को सदैव अच्छी हालत में बनाए रखा जाएगा।

4 अनुज्ञप्त परिसर में कोई भी उपांतरण अनुज्ञापन प्राधिकारी की लिखित पूर्व मजूरी के बिना नहीं किया जाएगा। सभी उपांतरणों का अनुज्ञप्ति के साथ सलग्न किए जाने वाले मशॉर्गित रेखाक में दर्शित किया जाएगा।

5 यदि अनुज्ञापन प्राधिकारी, अनुज्ञप्ति के धारक से, लिखित सूचना द्वारा, अनुज्ञप्त भवन में कोई ऐसी भ्रमण करने की अपेक्षा करता है जो ऐसे प्राधिकारी की राय में उनकी सुरक्षा के लिए आवश्यक है तो अनुज्ञप्ति का धारक ऐसी अवधि के भीतर, जो सूचना की प्राप्ति की तारीख से एक मास में कम की नहीं होगी, जैसा कि सूचना में नियत की जाए, परममन करेगा।

6 अनुज्ञप्तिधारी किसी ऐसे व्यक्ति को कैल्सियम कार्बाइड का निर्यात या अग्न्या पश्यात नहीं करेगा जिसके पास कैल्सियम कार्बाइड का भंडारण करने के लिए इन निर्मा

के अग्नित अनुदत्त अनुज्ञप्ति नहीं है या उसको उससे अन्यथा छूट प्राप्त नहीं है। इस प्रकार विक्रय की गई या परिदत्त कार्बाइड की मात्रा उस मात्रा से अधिक नहीं होगी जिसे प्राप्त करने वाला व्यक्ति अपने कब्जे में रखने के लिए प्राधिकृत है।

7 इस समय में कैल्सियम कार्बाइड के एक ही पात्र को खोला जाएगा और उतने ही समय के लिए जितना अन्य पात्रों को पुनः भरने के लिए अपेक्षित कार्बाइड को हटाने के लिए आवश्यक हो। इस प्रकार हटाए जाने या भरने के दौरान आर्द्रता का कैल्सियम कार्बाइड के संपर्क में आना रोकने के लिए साथ ही उस गैस के जो वहां में निकल सकती हो, ज्वलन के खतरे से बचने के लिए प्रत्येक व्यक्तिगत पूर्वावधानी बरती जाएगी।

8 एक किलोग्राम धारिता से अधिक के प्रत्येक भंडारण पात्र को इस प्रकार सुरक्षित रूप से बंद किया जाएगा जिससे कि अप्राधिकृत व्यक्तियों की उसकी अंतर्वस्तु तक पहुंच रोकी जा सके।

9 अनुज्ञप्तिधारी कार्बाइड की प्राप्ति और निर्गमों के अभिलेख और लेखे प्रारूप V में रखेगा और अपना स्टॉक निरीक्षक या नमूना अधिकारी को माग किए जाने पर दिखाएगा।

10 अनुज्ञप्त परिसर का उपयोग केवल कैल्सियम कार्बाइड के भंडार के लिए ही किया जाएगा किसी अन्य प्रयोजन के लिए नहीं।

11 आग या विस्फोट द्वारा दुर्घटना से बचने के लिए हर समय पर्याप्त पूर्वावधानी बरती जाएगी और उस भवन के भीतर या उस पर भूमि पर जिसमें कैल्सियम कार्बाइड का भंडार किया जाता है धूम्रपान करने, आग या कृत्रिम प्रकाश या एसोर्टिनीन को ज्वलित करने वाली वस्तु ले जाने की अनुज्ञा नहीं दी जाएगी।

12 निरीक्षक या नमूना अधिकारी को सभी व्यक्तिगत समय पर अनुज्ञप्त परिसर में अवकाश पहुंच होगी और निरीक्षक को यह अभिविज्ञापन करने के लिए कि इन नियमों और इस अनुज्ञप्ति की शर्तों का समतक रूप से पालन किया जा रहा है और नमूना का निरीक्षण करने या किसी कार्बाइड की जांच करने के लिए नमूना देने के लिए हर सुविधा दी जाएगी।

13 अनुज्ञप्त परिसर के भीतर होने वाली किसी दुर्घटना, आग या विस्फोट की सूचना निकटतम मजिस्ट्रेट को या निकटतम पुलिस थाने के भारसंधक अधिकारी को और तब तक तब तक मुख्य विस्फोटक नियंत्रक को तथा उस विस्फोटक निरीक्षक को जिसकी अधिकारिता के भीतर परिसर अवस्थित है, तुरंत दी जाएगी।

14 भंडारण शेड को साफ रखा जाएगा और सभी लूंडे-वॉटर और गैस का तब तक पूर्ण हटा दिया जाएगा और गहरे पानी में उन्हें फेंक कर समाप्त कर दिया जाएगा।

टिप्पणी:—इस अभिलेख को प्रशस्तन रखा जाना चाहिए। प्रविष्टियां प्रतिदिन भी भर दी जानी चाहिए, जब कैलेंडर का बाईंड की प्राप्ति किया जाता है या उसका विक्रय किया जाता है।

तारीख	आदि प्रतिशेष कि. प्रा.	प्राप्त काबीज कि. प्रा.	पैकेज की किस और सं.	प्रवायकर्ता का नाम, अनुज्ञप्ति सं.	विक्रय किया काबीज कि. प्रा.	पैकेज की किस और सं.
1	2	3	4	5	6	7
उक्त व्यक्ति का नाम, पता और अनुज्ञप्ति सं. जिसको काबीज विक्रय किया गया था	अंत प्रतिशेष	अनुज्ञप्तिधारी के हस्ताक्षर	टिप्पणी			
8	9	10	11			

NOTIFICATION

G.S.R. 105(E).—Whereas the draft of the Carbide of Calcium Rules, 1985, was published as required by sub-section 2 of section 29 of the Petroleum Act, 1934 (30 of 1934) with the notification of the Government of India in the Ministry of Industry and Company Affairs (Department of Industrial Development) No. GSR 404(E), dated the 4th April, 1985 in the Gazette of India, Extraordinary, Part II, Section 3, Sub-section (i), dated the 7th May, 1985 inviting objections and suggestions from all persons likely to be affected thereby before the expiry of 45 days on which the copies of the official Gazette in which the notification was published were made available to the public;

And whereas, the copies of the said official Gazette were made available to the public on the 17th July, 1985;

And whereas the objections and suggestions received from the public on the said draft have been considered by the Central Government;

Now, therefore, in exercise of the powers conferred by Section 4 of the Petroleum Act, 1934, the Central Government hereby makes the following rules, namely:—

CALCIUM CARBIDE RULES, 1987

CHAPTER I

PRELIMINARY

1. (1) Short title and commencement—These rules may be called the Calcium Carbide Rules, 1987.
- (2) They shall come into force on the date of their publication in the official Gazette.
2. Definitions.—In these rules, unless the context otherwise requires—
 - (a) “Act” means the Petroleum Act, 1934 (30 of 1934);
 - (b) “Carbide” means Calcium Carbide;
 - (c) “Chief Controller” means the Chief Controller of Explosives;
 - (d) “Conservator of the Port” includes any person acting under the authority of the officer or body of persons appointed to be Conservator of a Port under section 7 of the Indian Ports Act, 1908 (15 of 1908);
 - (e) “Controller of Explosives” includes a Joint Chief Controller of Explosives, Deputy Chief Controller of Explosives and Deputy Controller of Explosives;
 - (f) “district authority” means—
 - (a) a Commissioner of Police or Deputy Commissioner of Police in any town having a Commissioner of Police; and

- (b) in any other place, the District Magistrate;
- (g) "District Magistrate" includes an Additional District Magistrate and in the State of Punjab and Haryana and in the Karikal, Mahe and Yanam areas of the Union territory of Pondicherry, also includes a Sub-divisional Magistrate;
- (h) "Form" means a Form as given in the Second Schedule;
- (i) "Inspector" means an Officer authorised by the Central Government under Sub-section (1) of section 13 of the Act;
- (j) "prescribed receptacle" means a receptacle which—
- is made of steel or any other material approved by the Chief Controller but has no copper in its composition;
 - is hermetically closed at all times except when its contents are being placed within it or withdrawn from it; and
 - bears a stamped embossed, painted or printed warning exhibiting in conspicuous characters the words "Calcium Carbide"—
- Dangerous if not kept dry" and the following caution :—
- "The contents of this package are liable, if brought into contact with moisture, to give off a highly inflammable gas":
- Provided that for the containers of carbide imported, the warning shall be according to relevant International Code
- (k) "Sampling Officer" means an officer authorised by the Central Government under Sub-section (1) of section 14 of the Act.

CHAPTER II

GENERAL PROVISIONS

3. Carbide to be packed in prescribed receptacles.—Carbide shall not be imported, transported or stored unless it is packed in prescribed receptacles :

Provided that the Chief Controller may permit any receptacle other than the prescribed one if he is satisfied that such a receptacle may be used without any undue hazard.

4. Restriction on delivery and despatch of carbide.—No person shall deliver or despatch any carbide to any person other than the holder of a storage licence or his authorised agent or a port authority or a railway administration :

Provided that nothing in this rule shall apply to the delivery or despatch to any person of Carbide in quantities which are permitted by rule 26 to be stored without a licence.

5. Precautions against contact with water.—Every reasonable precaution shall be taken to prevent carbide coming into contact with water, and where such contact may have occurred, to prevent ignition of the gas.

6. Disposal of carbide if wet.—If any carbide becomes wet and the receptacle becomes hot it shall be destroyed by being submerged in deep water. If deep water is not available, the wet carbide, shall be spread out in the open in an isolated place, and all precautions shall be taken to prevent any fire or artificial light or article capable of igniting acetylene being brought near until the material has given off its gas and the surrounding area has become free of gas.

Note :—The fact of carbide having become wet, will be indicated by the outward appearance of the drum, and probably by a disagreeable odour, showing a leakage of gas.

7. Children and intoxicated persons.—No person shall employ or allow—

- any child under eighteen years of age; or
- any person who is in a state of intoxication—

(a) for the purpose of loading, unloading or transport of carbide; or

(b) to enter any premises licensed under these rules.

8. Prohibition of smoking, fires and lights.—No person shall smoke, and no fires, artificial lights or articles capable of igniting acetylene shall be permitted—

(a) at any time within or near the place where carbide is stored;

(b) near a vehicle or vessel transporting carbide.

CHAPTER III

IMPORTATION OF CARBIDE

PART I—GENERAL

9. Licence for import of carbide.—Carbide, other than carbide which may be possessed without a licence under rule 26, shall not be imported except under a licence granted under these rules.

PART II—

IMPORTATION BY SEA

10. Port of Import.—Carbide shall not be imported except at the ports of—

Bombay
Calcutta
Cochin
Tuticorin
Kandla
Madras
Mangalore
Port Blair
Visakhapatnam.

11. Duty of Master or a Agent in port.—

- (1) The master or the Agent of the owner of every vessel arriving at any port and carrying carbide shall, on entering the port and before landing any cargo, declare in writing to the Collector of Customs and also to the Conservator of the Port the quantity and description of the carbide carried by it.
- (2) The master shall moor the vessel at such place as the Conservator of the port may direct and while any carbide remains on board, the master shall not, except for the purpose of proceedings to sea, remove the vessel without the written permission of the Conservator of the Port.
- (3) The master shall ensure that the hold of every vessel bringing carbide into port shall be efficiently ventilated from the time the vessel enters the port until all the carbide on board has been discharged or until the vessel has left the port.

12. Defective Receptacles.—The Collector of Customs may require that any receptacle containing carbide which does not satisfy the requirements of rule 3 of which is defective shall be submerged in deep water under the direction of the Conservator of the port, without compensation to the consignees.

13. Facilities to be afforded to Inspecting Officers.—The master or the agent of the owner of any vessel in port with carbide on board shall, when so required by the Collector of Customs or by the Conservator of port or by an Inspector or Sampling Officer, show to such officer all carbide under his control or on board, and shall afford every reasonable facility to enable such officer to inspect such carbide so as to ascertain whether the provisions of these rules are duly observed and to take samples free of charge, if such officer so desires.

14. Landing of carbide.—(1) Carbide shall be landed only with the permission of the Collector of Customs and at such place or places as the Conservator of the Port may direct.

(2) Carbide shall be landed only between sunrise and sunset.

15. Removal after landing.—All carbide landed from any vessel shall be removed without unnecessary delay to a licensed premises, and if conveyed by water shall be conveyed only in an open barge certified as suitable for the conveyance of carbide by the Conservator of the Port.

16. Storage at Port.—Notwithstanding anything contained in rule 15, carbide, if it cannot be removed immediately from the port may be stored in the port in a separate godown away from other buildings.

PART III

IMPORTATION BY LAND

17. Importation by land.—No person shall import carbide by land save with the previous sanction in

each case of the Central Government and under such conditions and restrictions as it may impose in consultation with the Chief Controller.

PART IV

IMPORTATION BY AIR

18. Importation by Air.—No person shall import carbide by air save with the previous sanction in each case of the Central Government and under such conditions and restrictions and on payment of such fees as it may impose and in such quantities and manners as may be allowed by the Director General, Civil Aviation.

CHAPTER IV

TRANSPORTATION OF CARBIDE

19. Transportation in quantity not exceeding 5 kilogrammes.—Carbide transported in any quantity not exceeding 5 kilogrammes shall be packed in prescribed receptacles and each receptacle containing not more than 1 kilogramme.

20. Transport in quantity exceeding 5 kilogrammes.—Carbide in quantity exceeding 5 kilogrammes shall not be transported except under the following conditions, namely:—

- (a) Carbide shall be carried in prescribed receptacles, no receptacle shall be capable of containing more than 100 kilogrammes of carbide; and
- (b) the carbide shall not be deposited at any time during transit in any building other than a building licensed for the storage of carbide under these rules:

Provided that the Chief Controller may permit transport of carbide in receptacles capable of containing more than 100 kilogrammes specifically approved by him for the purpose and under such condition that he may prescribed in this behalf:

Provided further that carbide so transported is meant for directly charging into an acetylene generator and not for repacking into any other receptacle

21. Transport by Railway or Road.—(1) Carbide while in the custody of railway administration or a road transport agency for transport, shall not be stored in any goods shed with other materials but shall be stacked in the open under water-proof sheets and shall be so placed as to prevent any receptacle containing it from becoming wet.

(2) Where the carbide is conveyed by rail it shall be subject to all the regulations which may from time to time be prescribed generally or specially in that behalf by the railway administration.

22. Transport by Passenger Train.—Where carbide is transported by passenger train—

- (i) the quantity carried by any one train shall not exceed 250 kilogrammes;
- (ii) the carbide shall be carried in brake van of the train;

(iii) no naked lamp or other artificial light capable of igniting inflammable gas shall be taken into a van containing carbide; and

(iv) the van shall be well ventilated and as far as possible is water-tight

23. Transport by water.—Where carbide is conveyed by water it shall be packed and stored in accordance with the regulations contained in the Merchant Shipping Carriage of Dangerous Goods Rules, 1978.

24. Transport by Air.—Carbide may be transported by air in such quantities and in such a manner as may be allowed by the Director General, Civil Aviation.

CHAPTER V

STORAGE OF CARBIDE

25. Carbide to be commercially pure.—No carbide shall be kept at any place with or without a licence unless it is "commercially pure" that is, unless it contains no impurities which would render the gas evolved either alone or in admixture with air, liable to ignite spontaneously and the gas evolved shall comply with the requirements given in specification for calcium carbide, technical, IS : 1040

26. Licence for storage.—No person shall store any carbide except under a licence granted under these rules :

Provided that no licence shall be required for storage of carbide—

(a) in any quantity not exceeding five kilogrammes if it is kept in prescribed receptacles each containing not more than one kilogram,

(b) in any quantity exceeding five kilogrammes but not exceeding two hundred kilogrammes subject to the following conditions namely :—

(i) the receptacles shall be stored in a dry and well ventilated storage shed, which may form a part of or attached to a building provided that it is separated therefrom by a substantial partition and the only means of access to it is from outside air;

(ii) due precautions shall be taken to prevent unauthorised persons from having access to the receptacles;

(iii) the receptacles shall be kept securely closed except while taking out carbide therefrom;

(c) temporarily within port limits under such conditions as the Conservator of the port may specify,

(d) while in transit under the custody of railway administration or road transport agency;

(e) in the possession of the Defence Forces of the Union;

27. Observance of safety distance from the licensed storage shed necessary.—

(1) Carbide shall be stored—

(a) if in quantities aggregating more than 200 kilogrammes but not exceeding 500 kilogrammes in a suitable uninhabited building at least 3 metres away from any other premises;

(b) if in quantities aggregating more than 500 kilogrammes and not more than 5000 kilogrammes in a suitable uninhabited building at least 6 metres away from any other premises;

(c) if in quantities aggregating more than 5000 kilogrammes, in a suitable uninhabited building at least 9 metres away from any other premises;

(2) Not more than 1000 metric tonnes of carbide shall be stored in any one building, provided that not more than 250 metric tonnes of carbide is stored in any one room or other part of the building.

(3) A carbide storage shed may also form a part of, or attached to an Acetylene plant provided that it is separated from other portions of the plant by a substantial partition and the entire building including the carbide storage shed, observes a safety distance of 15 metres from any other premises :

Provided that the Chief Controller may allow the storage shed at a distance of less than 15 Metres in the case of acetylene plants which have been under operation before these rules have come into force and under such conditions as he may specify.

(4) Every building storing carbide shall be surrounded by a wall or fence of at least 1.8 metres high to prevent unauthorised persons having access to the shed and are enclosed by such wall or fence shall cover the safety zone required to be kept clear

28. Construction of storage premises.—Every premises for storage of carbide shall—

(a) be constructed of non-flammable material with cemented floor raised at least 30 centimeters from the surrounding ground level;

(b) be well ventilated both near the coiling and the floor to the satisfaction of the licensing authority. The ventilator openings shall be covered with two layers of galvanised iron or other non-corroding metal wire gauge having no copper and of mesh not less than 11 per linear centimetre;

(c) be water tight;

(d) be of sufficient capacity so as to conveniently accommodate the quantity of carbide proposed to be stored, leaving a gangway space of at least 60 centimetres around the stack.

Note :—The floor area for storage of carbide may be calculated at the rate of 2 SQM/Tonne, provided that stack height is limited to 2M and height of the storage shed is not less than 3M.

29. Arrangements in storage premises.—Carbide receptacles shall be mostly stacked on racks or trestles or on a raised platform inside the storage premises, at least 30 centimetres above the inner floor level.

CHAPTER VI LICENCES

30. Grant of licence.—Licences under that rules may be granted by the licensing authorities set forth in the First Schedule in the Forms specified for the purpose and on payment of a fee specified therein.

31. Period for which licences may be granted or renewed.—

- (1) Every licence granted or renewed under these rules shall remain in force until the 31st day of December of the year upto which the licence is granted or renewed subject to a maximum of three years.
- (2) Notwithstanding anything contained in sub-rule (1), the licensing authority where it is satisfied that a licence is required for a specific work of festival which is not likely to last upto the 31st day of December of the year for which the licence is granted or renewed, may grant or renew a licence for such period as is actually necessary.

32. Application for licence.—A person wishing to obtain a licence under these rules shall submit an application in Form I to the authority empowered to grant such a licence.

33. Particulars of licence.—(1) Every licence granted under these rules shall be held subject to the conditions specified therein and shall contain all the particulars which are contained in the form specified under these rules.

(2) One copy of the plan or plans for the licensed premises signed in token of approval by the licensing authority shall be attached to the licence which shall form part of such licence, and an identical copy shall be filed for record in the office of the licensing authority.

34. Prior approval of specifications and plans, of premises proposed to be licensed.—

- (1) Every person desiring to obtain a licence to import and store carbide in Form II, Form III or Form IV, as the case may be, shall submit to the licensing authority an application along with—
 - (a) Specification and plans drawn to scale in duplicate clearly indicating—
 - (i) the manner in which the provisions prescribed under these rules shall be complied with;
 - (ii) the premises proposed to be licensed, the area of which shall be distinctly or otherwise marked;
 - (iii) the surrounding and all premises, roads etc. lying within 50 metres of the edge of the shed which is proposed to be licensed;

(iv) the position, details of construction and ground and elevation views of storage shed.

(b) a scrutiny fee of Rs. 10 paid in the manner specified in rule 46.

(2) If the licensing authority after scrutiny of the specification and plans and after making such enquiries as he deems fit, is satisfied that carbide may be stored in the premises proposed to be licensed, he shall return to the applicant one copy each of the specifications and plans signed by him conveying his sanction subject to such conditions as he may specify.

35. Prior approval necessary for alteration in the licensed premises.—

- (1) No alteration shall be carried out in the licensed premises until a plan or plans showing such alteration has been approved in writing by the licensing authority.
- (2) A person wishing to carry out any alteration in the licensed premises shall submit to the licensing authority—
 - (a) three copies of a properly drawn plan of the licensed premises showing distinct colour or colours the proposed alterations and the reasons therefor.
 - (b) a fee of Rs. 10 for scrutiny of the proposed alteration.

(3) If the licensing authority, after scrutiny of the plan showing the proposed alteration and after making such enquiries as he deems fit, is satisfied that the proposed alteration may be carried out he shall return to the licensee one copy of the plan signed by him and conveying his sanction subject to such conditions as he may specify.

(4) The holder of the licence shall apply to the Licensing authority for the amendment of the licence as soon as the sanction for alteration has been carried out.

36. Amendment of licence.—(1) Any licence granted under these rules may be amended by the authority empowered to grant such a licence.

(2) The fee for amendment of the licence shall be Rs. 10 plus the amount, if any, by which the fee that would have been payable if the licence had originally been issued in the amended form exceeds the fee originally paid by the licensee.

(3) The licensee who desires to have his licence amended shall submit to the licensing authority :—

- (i) an application duly filled in and signed in Form I;
- (ii) the licence sought to be amended together with the approved plan attached to it;
- (iii) where any alteration in the licensed premises has been carried out, three copies of the properly drawn plans showing the alterations sanctioned under rule 35 by the licensing authority;

- (iv) fee for amendment of the licence as specified in Sub-rule (2).

37. **Renewal of Licence.**—(1) The licence may be renewed by the licensing authority empowered to grant such a licence :

Provided that a licence which has been granted by the Chief Controller may be renewed without alteration by the Controller or Explosives duly authorised by the Chief Controller.

(2) Every licence granted under these rules may be renewable for three calendar years where there has been no contravention of the Act or of the rules framed thereunder or of any condition of the licence so renewed.

(3) Where a licence which has been renewed for more than one year is surrendered before its expiry, the renewal fee paid for the unexpired portion of the licence shall be refunded to the licensee provided that no refund of renewal fee shall be made for any calendar year during which—

- (a) the licensing authority receives the renewed licence for surrender, or
- (b) any carbide is received or stored on the authority of the licence.

(4) Every application under sub-rule (2) shall be made in Form I and shall be accompanied by the licence which is to be renewed together with approved plans attached to the licence and the renewal fee.

(5) Every application for the renewal of the licence shall be made so as to reach the licensing authority at least 30 days before the date on which it expires, and if the application is so made, the licence shall be deemed to be in force until such date as the licensing authority renews the licence or until an intimation that the renewal of the licence is refused has been communicated to the applicant.

(6) Where the renewal of the licence is refused, fee paid for the renewal shall be refunded to the licensee after deducting therefrom the proportionate fee for the period beginning from the date from which the licence was to be renewed upto the date on which renewal thereof is refused.

(7) The same fee shall be charged for the renewal of the licence for each calendar year as for the grant thereof :

Provided that :—

- (i) if the application with the accompaniments **required under sub-rule (4) is not received** within the time specified in sub-rule (5), the licence shall be renewed only on payment of a fee amounting to twice the fee ordinarily payable ;
- (ii) if such an application with accompaniments is received by the licensing authority after the date of expiry but not later than 30 days from the date of expiry, the licence may without prejudice to any other action that may be taken in this behalf, be renewed on payment of twice the fee ordinarily payable :

Provided further that in the case of an application for the renewal of the licence for a period of more than one calendar year at a time, the fee prescribed under clause (i) or (ii) of the first proviso, if payable, shall be paid only for the first calendar year of the renewal.

38. **Refusal of licence.**—Licensing authority refusing to grant, amend, renew or transfer the licence, shall record his reasons for such refusal in writing.

39. **Suspension and cancellation of licence.**—(1) Every licence granted under these rules shall—

- (i) stand cancelled, if the licensee ceases to have any right to the site for storing carbide ;
- (ii) be liable to be suspended or cancelled by an order of the licensing authority for any contravention of the Act or of any rule made thereunder or of any condition contained in such licence, or by order of the Central Government, if it is satisfied that there are sufficient grounds for doing so.

Provided that :—

- (a) before suspending or cancelling a licence under this rule the holder of the licence shall be given an opportunity of being heard ;
- (b) the maximum period of suspension shall not exceed three months ; and
- (c) the suspension of a licence shall not debar the holder of the licence from applying for its renewal in accordance with the provisions of rule 37.

(2) Notwithstanding anything in sub-rule (1), an opportunity of being heard may not be given to the holder of a licence before his licence is suspended or cancelled in cases—

- (a) where the licence is suspended by a licensing authority as an interim measure for violation of any of the provisions of the Act or these rules, or of any conditions contained in such licence and in his opinion such violation is likely to cause imminent danger to the public ;

Provided that where a licence is so suspended, the licensing authority shall give the holder of the licence an opportunity of being heard before the order of suspension is confirmed ;

- (b) Where the licence is suspended or cancelled by the Central Government, if the Government considers that in public interest or in the interest of the security of the State such opportunity should not be given.

(3) A Licensing Authority or the Central Government suspending or cancelling a licence under sub-rule (1) shall record its reasons for so doing in writing.

40. **Procedure on expiration, suspension or cancellation of licence.**—(1) A person licensed to store carbide shall, on the expiration, suspension or cancellation of his licence, forthwith give notice to the District Authority of the quantity of carbide in his possession

and shall comply with any directions which the District Authority may, on the recommendation of the Chief Controller, give in regard to its disposal.

(2) The District Authority may grant for a term not exceeding three months from the date of expiration, suspension or cancellation, as the case may be, a temporary licence for the storage of carbide actually held at the time of the issue of the temporary licence :

Provided that :—

- (a) where the expired, suspended or cancelled licence was granted by an authority, other than that District Authority, no temporary licence shall be granted without previous consent of such other authority ;
- (b) the fee chargeable on a licence granted under sub-rule (2) shall bear the same proportion to the fee charged on the expired or cancelled or suspended licence as the period covered by the temporary licence bears to a full year.

41. Appeals.—(1) An appeal shall lie against any order cancelling or refusing to grant, amend or renew a licence or cancelling or suspending a licence to—

- (i) the Central Government, where an order is passed by the Chief Controller ;
- (ii) the Chief Controller, if the order is passed by the Controller of Explosives ;
- (iii) the immediate official superior to the District Authority, if the order is passed by the District Authority.

(2) Every appeal shall be in writing and shall be accompanied by a copy of the order appealed against and shall be presented within 60 days of the order passed.

42. Transfer of licence.—(1) The holder of a licence may at any time before the expiry of the licence, apply to the licensing authority to transfer the licence to another person.

(2) Every application for the transfer of a licence shall be accompanied by—

- (i) a letter signed by the holder of the licence indicating the full name and postal address of the person to whom he wishes to transfer the licence and complete possession of licensed premises ;
- (ii) the licence sought to be transferred together with approved plan or plans attached to it ;
- (iii) an application in Form I duly filled in and signed by person to whom the licence is sought to be transferred ;
- (iv) a fee of Rs. 10 paid in the manner specified in rule 46.

(3) The licensing authority on receipt of the documents and fee required under sub-rule (2) shall, if he approves the transfer, enter upon the licence, under his signature, an endorsement to the effect that licence has been transferred to the person so named.

(4) The person to whom the licence is so transferred shall enjoy the same powers and be subject to the same obligations under the licence as the original licensee.

43. Procedure on death or disability of licensee.—

(1) If a licensee dies or becomes insolvent or mentally incapable or is otherwise disabled, the person carrying on the business of such licensee shall not be liable to any penalty or confiscation under the Act or these rules for exercising the powers granted to the licensee during such time as may reasonably be required to allow him to make an application for a new licence in his own name for the unexpired portion of the original licence in respect of the year in which the licensee dies or become insolvent or mentally incapable or is otherwise disabled :

Provided that nothing in this sub-rule shall be deemed to authorise the exercise of any power under this sub-rule by any person after the expiry of the period of the licence.

(2) A fee of Rs. 10 shall be charged for a new licence for the unexpired portion of the original licence granted to any person applying for it under this rule.

44. Loss of licence.—Where a licence granted under these rules is defaced, lost, destroyed or otherwise rendered useless, a duplicate may be granted on submission of a copy of the plan or plans identical with those attached to the licence and on payment of a fee of Rs. 10.

45. Production of licence on demand.—(1) Every person holding or acting under a licence granted under these rules shall produce it, or an authenticated copy of it, at the place to which the licence applies, when called upon to do so by any Inspector.

(2) Copies of any licence may, for the purpose of this rule, be authenticated by the authority which granted the licence on payment of a fee of Rs. 10 for each authenticated copy.

46. Payment of fees.—All fees payable under these rules shall be paid in the following manner—

(1) Fees by crossed demand draft payable at Nagpur on any Nationalised Bank drawn in favour of an officer nominated by the Chief Controller of Explosives in the Department of Explosives, Nagpur, and in cases where amount payable does not exceed Rs. 100 the payment may be made by cash, postal order or cheque drawn on any local nationalised bank.

(2) Fees payable to the Controller of Explosives shall be paid by a crossed demand draft on any nationalised bank drawn in favour of the Controller of Explosives to whom the payment is made, payable at the station where his office is located and in cases where the amount payable does not exceed Rs. 100, the payment may be made by cash, postal order or cheque drawn on any local nationalised bank.

47. Procedure on reports of infringement.—The District Authority shall inform the Controller of

by him on any reports of infringements of the Act or of these rules which the said Controller of Explosives or the Chief Controller may make to him.

48 Executive control over authorities --Every authority other than the Central Government acting under this Chapter shall perform its duties subject to the control of the Central Government :

Provided that nothing in this rule shall be deemed to affect the powers of executive control of the Chief Controller over the officers subordinate to him.

CHAPTER VII

NOTICE OF ACCIDENTS

49. Notice of accidents --(1) The notice of an accident under section 27 of the Act shall be given forthwith :

- (a) in case of the notice given to the Chief Controller by an Express telegram (Telegraphic Address : Explosives, Nagpur) followed within 24 hours by a letter giving particulars of the accident ; and
- (b) by a quickest means of communication to the nearest Magistrate or to the officer-in-charge of the Police Station having jurisdiction.

(2) Pending the visit of the Chief Controller or his representative or until instructions are received from these authorities that he does not wish any

further investigation or inquiry to be made, all wreckage and debris shall be left untouched except in so far as its removal may be necessary for the rescue of persons injured and recovery of the bodies of any persons killed by the accident or in the case of railways, for the restoration of through communication.

CHAPTER VIII

EXEMPTION

50 Repeal and savings --(1) The Carbide of Calcium Rules, 1937 are hereby repealed.

(2) Notwithstanding such repeal--

- (i) all licenses or duplicates granted or renewed under the said rules, and all fees imposed or levied shall be deemed to have been granted, renewed, imposed or levied, as the case may be, under the corresponding provisions of these rules.
- (ii) all approvals given and all powers conferred by or under any notification or rule shall, so far as they are consistent with the provisions of the Act and these rules, be deemed to have been given or conferred by or under these rules

[File No 2(21)/75-DPR[EGG-Vol. II]

A. V. GOKAK, Jt. Secy.

FIRST SCHEDULE

LICENCES (See rule 30)

Article No	Form of licence (see Second Schedule)	Purpose for which granted	Authority empowered to grant licence	Fees
1.	II	To import and store carbide in quantity not exceeding 500 Kgs at any one time.	District Authority	Rs. 25 for every calendar year or part thereof
2.	III	To import and store Carbide in quantity exceeding 500 Kgs at any one time	Controller of Explosives	Rs. 25 for the first 500 Kgs. plus Rs. 10 for every additional 500 Kgs. or part thereof, subject to maximum of Rs. 1500 per calendar year or part thereof
3.	IV	To import and store carbide in a storage shed for any part of an acetylene plant	Chief Controller	As given in Article 2

SECOND SCHEDULE

FORMS

FORM I

(See Rules 32, 36, 37 and 42)

Application for grant/extension/renewal/transfer of a licence to import and store carbide.

Replies to be written in this column.

1. Name in which licence is required.
2. Status—individual/registered/unregistered Company.
3. Age (for individual only)
4. Postal address
 Pin Code
 Telephone No.
 Telegraphic address
 Telex
5. Situation of the premises
 State
 District
 Town or Village
 House No./Municipal No.
 Police Station
 Railway Station
6. Quantity of Carbide proposed to be imported and stored
- *7. Quantity of Carbide already stored in the premises
- *8. Form in which licence is required
- *9. Number of licence held for the premises and the full name and address
 of the holder of the licence.
10. Enclosures :
 * (i) Plan No.
 Approved by Vide letter No.
 dated
 (in triplicate/quadruplicate)
 (ii) Licence No. dated
 (iii) Bank draft/cheque No./Postal order No.
 dated
 for Rs.
 drawn at

I certify that the information given above is correct.

Signature of the applicant

Place :

Designation/Status

Date :

Full Postal Address

Note :—*(1) Delete whatever is not applicable.

- (2) In case where application is made in the name of Company, the names and addresses of the Directors and Partners and the name, address and special signatures of person or persons authorised to sign the correspondence in respect of the licence applied for, shall be given on a separate sheet (in duplicate) and enclosed with this application form. Any change in the above information shall be immediately communicated to the licensing authority and authority renewing the licence.

FORM II

(Article 1 of First Schedule)

Licence to import and store Carbide in quantity not exceeding 500 Kgs. at any one time.

Licence No. _____

Fee Rs. per year

Licence is hereby granted to
 valid only for the importation and storage ofKgs.
 of calcium carbide at any one time in the premises described below, subject to the provisions of Petroleum Act, 1934, and the Calcium
 Carbide Rules 1987 and to the conditions of this licence.

The licence shall remain in force till the 31st day of December 198

DISTRICT AUTHORITY

Description of the licensed premises

The licensed premises shown in the drawing No. dated
 attached here to consists of storage shed and is situated at

Space for endorsement of renewals

Date of renewal	Date of expiry	Signature of the licensing authority

CONDITIONS

1. The storage shed shall be constructed of suitable non-inflammable material.

2. The storage shed shall be provided with adequate number of ventilators near the ground level and also near the roof and shall be water-tight. The ventilators shall be covered with fine galvanised iron or other non-corroding metal wire gauge of mesh not less than 11 to the linear centimeter.

3. The storage shed shall at all times be kept in state of good repair and maintained in good condition.

4. No alteration shall be carried out in the licensed premises without previous sanction in writing of the licensing authority. All alterations shall be shown on an amended plan to be attached to the licence.

5. If the licensing authority calls upon the holder of the licence, by notice in writing, to execute any repair to the building licensed, which may, in the opinion of such authority be necessary for the safety thereof, the holder of the licence shall execute the repairs within such period, not being less than one month from the date of receipt of the notice, as may be fixed by the notice.

6. The licensee shall not sell or otherwise deliver any quantity of Calcium Carbide to anyone who has not a licence to store Calcium Carbide granted under the rules or is otherwise exempted therefrom. The quantity of Carbide so sold or delivered shall not exceed the quantity which the person receiving the same is authorised to possess.

7. Only one receptacle containing Calcium Carbide shall be opened at a time and only for the time necessary for the removal of the Carbide required for the refilling of other receptacles. During such removal or refilling every reasonable precaution shall be adopted for preventing moisture being brought into contact with Carbide, as well as for guarding against the risk of ignition of any gas which may be liberated.

8. Every storage receptacle of more than one kilogramme capacity shall be secured so as to prevent unauthorised persons having access to the contents.

9. Licensee shall keep records and accounts of all receipts and issues of Carbide in form V and shall exhibit his stock and records to an Inspector or Sampling Officer on demand.

10. The licensed premises shall be used only for storage of Calcium Carbide and not for any other purpose.

11. Due precautions shall at all times be taken for the prevention of accidents by fire or explosion and no smoking, fire or artificial light or article capable of igniting acetylene shall be permitted at any time within or near the building in which the Carbide is stored.

12. Free access to the licensed premises shall be given at all reasonable times to any Inspector or Sampling Officer and every facility shall be afforded to an Inspector to ascertain that the rules and the conditions of this licence are duly observed and to a Sampling Officer to inspect and take samples for testing of any Carbide.

13. Any accident or fire or explosion occurring within the licensed premises shall be immediately reported to the nearest Magistrate or to the officer in-charge of the nearest Police Station and by telegram to the Chief Controller of Explosives as well as the Controller of Explosives under whose jurisdiction the premises are situated.

14. The storage shed shall be kept clean and all sweepings and dust shall be carefully removed and disposed off by throwing in deep water.

15. No acetylene gas shall be generated in the premises.

FORM III

(Article 2 of First Schedule)

Licence to import and store Carbide in quantity exceeding 500 Kgs. at any one time.

Licence No.

Fee Rs. per year

Licence is hereby granted to valid only for the importation and storage of Kgs. of Calcium Carbide at any one time in the premises described below subject to the provisions of Petroleum Act, 1934 and the Calcium Carbide Rules, 1987, and to the conditions of this licence.

The licence shall remain in force till the 31st day of December 198

Dated

CONTROLLER OF EXPLOSIVES

Description of the licensed premises

The licensed premises shown in the drawing No dated attached hereto consists of storage shed and is situated at

Space for endorsement of renewals

Date of renewal	Date of Expiry	Signature of the licensing authority

CONDITIONS

(1.) The storage shed shall be constructed of suitable non-inflammable material).

2. The storage shed shall be provided with adequate number of ventilators near the ground level and also near the roof and shall be water-tight. The ventilators shall be covered with fine galvanised iron or other non-corroding metal wire gauge of mesh not less than 11 to the linear centimeter.

3. The storage shed shall at all times be kept in state of good repairs and maintained in good condition.

4. No alteration shall be carried out in the license premises without previous sanction in writing of the licensing authority. All alterations shall be shown on the amended plan to be attached to the licence.

5. If the licensing authority calls upon the holder of the licence, by notice in writing, to execute repairs to the building licensed, which may, in the opinion of such authority be necessary for the safety within such period, of the licence shall execute the

repairs within such period, not being less than one month from the date of receipt of the notice, as may be fixed by the notice.

6. The licensee shall not sell or otherwise deliver any quantity of Calcium Carbide to anyone who has not a licence to store Calcium Carbide granted under the rules or is otherwise exempted therefrom. The quantity of Carbide so sold or delivered shall not exceed the quantity which the person receiving the same authorised to possess.

7. Only one receptacle containing calcium carbide shall be opened at a time and only for the time necessary for the removal of the Carbide required for the refilling of other receptacles. During such removal or refilling every reasonable precaution shall be adopted for preventing moisture being brought into contact with Carbide, as well as for guarding against the risk of ignition of any gas which may be liberated.

8. Every storage receptacle of more than one kilogramme capacity shall be secured so as to prevent unauthorised persons having access to the contents.

9. Licensee shall keep records and accounts of all receipts and issues of Carbide in form V and shall exhibit his stock and records to an Inspector or a Sampling Officer on demand.

10. The licensed premises shall be used only for storage of Calcium Carbide and not for any other purpose.

11. Due precautions shall at all times be taken for the prevention of accidents by fire or explosion and no smoking fire or artificial light or article capable of igniting acetylene shall be permitted at any time within or near the building in which the Carbide is stored.

12. Free access to the licensed premises shall be given at all reasonable times to any Inspector or Sampling Officer and every facility shall be afforded to an Inspector to ascertain that the rules and the conditions of this licence are duly observed and to a Sampling Officer to inspect and take samples for testing of any Carbide.

13. Any accident or fire or explosion occurring within the licensed premises shall be immediately reported to the nearest Magistrate or to the officer in-charge of the nearest Police Station and by telegram to the Chief Controller of Explosives as well as the Controller of Explosives under whose jurisdiction the premises are situated.

14. The storage shed shall be kept clean and all sweepings and dust shall be carefully removed and disposed off by throwing in deep water.

15. No acetylene gas shall be generated in the premises.

FORM IV

(Article 3 of First Schedule)

Licence to import and store Carbide in a storage shed forming part of an acetylene plant.

Licence No.

Fee Rs. per year

Licence is hereby granted to valid only for the importation and storage of Kgs. of Calcium Carbide at any one time in the premises described below subject to the provisions of Petroleum Act, 1934, and the Calcium Carbide Rules, 1987, and to the conditions of this licence.

The licence shall remain in force till the 31st day of December 198... ..

Date:

Chief Controller of Explosives

Description of the Licensed Premises

The licensed premises shown in the drawing No. dated attached hereto consists of storage shed attached to an acetylene plant and is situated at

Space for endorsement of renewals

Date of renewal

Date of expiry

Signature of the licensing authority

CONDITIONS

1. (a) The storage shed shall be constructed of suitable non-inflammable material.

(b) The shed shall be separated from other portions of acetylene plant building by a substantial partition having no opening therein. Opening if any, shall be a suitable passage to permit movement of Carbide receptacles from the storage shed to the acetylene plant area. The passage shall be fitted with a self-closing type fire-proof door.

2. The storage shed shall be provided with adequate number of ventilators near ground level and also near the roof and shall be water-tight. The ventilators shall be covered with fine galvanised iron or other non-corroding metal wire gauge of mesh not less than 11 to the linear centimeter.

3. The storage shed at all times be maintained in good condition.

4. No alterations shall be carried out in the licensed premises without previous sanction in writing of the licensing authority. All alterations shall be shown on an amended plan attached to this licence.

5. If the licensing authority calls upon the holder of the licence, by notice in writing, to execute any repairs to the building licensed, which may, in the opinion of such authority be necessary for the safety thereof, the holder of the licence shall execute the repairs within such period, not being less than one month from the date of receipt of the notice, as may be fixed by the notice.

6. The licensee shall not sell or otherwise deliver any quantity of Calcium Carbide to anyone who has not a licence to store Calcium Carbide granted under the Rules or is otherwise exempted therefrom. The quantity of Carbide so sold or delivered shall not exceed the quantity which the person receiving the same is authorised to possess.

7. Only one receptacle containing Calcium Carbide shall be opened at a time and only for the time necessary for the removal of the Carbide required for the

refilling of other receptacle. During such removal or refilling every reasonable precaution shall be adopted for preventing moisture being brought into contact with the Carbide, as well as for guarding against the risk of ignition of any gas which may be liberated.

8. Every storage receptacle of more than 1 kilogramme capacity shall be secured so as to prevent unauthorised persons having access to the contents.

9. Licensee shall keep records and accounts of all receipts and issues of Carbide in form V and shall exhibit his stock and records to an Inspector or a Sampling Officer on demand.

10. The licensed premises shall be used only for storage of Calcium Carbide and not for any other purpose.

11. Due precautions shall at all times be taken for the prevention of accidents by fire or explosion and no smoking fire or artificial light or article capable of igniting acetylene shall be permitted at any time within or near the building in which the Carbide is stored.

12. Free access to the licensed premises shall be given at all reasonable times to any Inspector or Sampling Officer and every facility shall be afforded to an Inspector to ascertain that the rules and the conditions of this licence are duly observed and to a Sampling Officer to inspect and take samples for testing of any Carbide.

13. Any accident or fire or explosion, occurring within the licensed premises shall be immediately reported to the nearest magistrate or to the officer in-charge of the nearest Police Station and by telegram to the Chief Controller of Explosives as well as Controller of Explosives under whose jurisdiction the premises are situated.

14. The storage shed shall be kept clean and all sweepings and dust shall be carefully removed and disposed of by throwing in deep water.

Account of Receipt and Sale of Calcium Carbide

Licence No.

Note This record should be kept up to date. Entries should be made daily and as and when Calcium Carbide is received or sold.

Date	Opening Balance Kgs.	Carbide received Kgs.	Type and No. of packages	Name, address & licence No. of supplier	Carbide sold Kg.	Type and No. of packages	Name, Address & Licence No. of person to whom Carbide was sold	Closing Balance	Sign. of licensee	Re- marks
1	2	3	4	5	6	7	8	9	10	11